

# ***JayDee Enterprises Inc.***

3465 Lost Nation Rd. #15  
Willoughby, OH 44094  
PH (440) 946-9367 or (800) 989-0162  
Fax (440) 946-6148

[E-mail: jaydeebelts@sbcglobal.net](mailto:jaydeebelts@sbcglobal.net)

Visit our website at [www.jdv-belts.com](http://www.jdv-belts.com)

P/L 1120 ~ ATV Interchange  
Effective ~ August 15th, 2011



# **ALL-TERRAIN VEHICLE BELT APPLICATIONS**



# INDEX

	Page Nos.
Arctic Cat - Argo.....	1 - 3
BRB CAN - AM - Honda.....	3 - 5
Kawasaki.....	5 - 6
Polaris.....	7 - 10
Suzuki.....	11
Yamaha.....	12 - 13

## TERMS AND CONDITIONS OF SALE

1. F.O.B. is Willoughby, OH USA
2. We accept Visa, MasterCard, and Discover and will ship C.O.D. Open account terms are based references and banking information, subject to JayDee approval and acceptance. Negotiated terms are Net 30 days.
3. Shortage or overcharge claims must be made within **10 days** after goods are received.
4. Return goods **will not** be accepted without prior permission. Freight is to be prepaid and restocking and/or handling charges may be levied pending inspection of returned goods.
5. Material defective through workmanship or faulty materials will be replaced. Labor and consequential damages cannot be honored.
6. \$20.00 minimum order on domestic orders using terms
7. **A restocking charge of 20% may be assessed pending inspection and authorization of material returned.**
8. All prices are subject to change without notice.
9. **We will not accept the return of any product with a purchase date over (1) year.**

**Note: Possession of this catalog and/or price list does not necessarily entitle the holder to receive these prices.**

ARCTIC CAT						
YEAR	MODEL	MFG. PART NO.	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
<b>2008</b>	400 4X4 AUTO	3402-664	UA400	33-5/32"	1-3/16"	62.80
2008	500 4X4 AUTO	3402-757	UA401	36-27/32"	1-7/16"	64.20
2008	500 TRV 4X4 AUTO	3402-757	UA401	36-27/32"	1-7/16"	64.20
2008	650 PROWLER H1 4X4 AUTO	0823-013	UA406	36-3/4"	1-29/64"	69.40
2008	650 PROWLER H1 4X4 AUTO TBX	0823-013	UA406	36-3/4"	1-29/64"	69.40
2008	700 PROWLER H1	0823-013	UA406	36-3/4"	1-29/64"	69.40
2008	700 EFI 4X4 AUTO	3403-141	UA401	36-27/32"	1-7/16"	64.20
2008	700 TRV EFI 4X4 AUTO LE	3403-141	UA401	36-27/32"	1-7/16"	64.20
2008	DVX 90	3303-095	UA415	28-3/8"	11/16"	40.10
<b>2007</b>	90 & DVX90	3303-095	UA415	28-3/8"	11/16"	40.10
2007	400 AUTO TRANS 4X4 FIS & TRV	3402-664	UA400	33-5/32"	1-3/16"	62.80
2007	500 AUTO TRANS 4X4 FIS	3402-757	UA401	36-27/32"	1-7/16"	64.20
2007	650 H1 AUTO TRANS 4X4 FIS & TBX & TRV	0823-013	UA406	36-3/4"	1-29/64"	69.40
2007	700 EFI AUTO TRANS 4X4 FIS	3403-141	UA401	36-27/32"	1-7/16"	64.20
2007	PROWLER 650 H1 AUTO 4X4 & XT & 650 H1	0823-013	UA406	36-3/4"	1-29/64"	69.40
<b>2006</b>	400 4x4 FIS AUTO	3402-664	UA400	33-5/32"	1-3/16"	62.80
2006	400 4X4 VP AUTO	3402-664	UA400	33-5/32"	1-3/16"	62.80
2006	400 TBX	3402-664	UA400	33-5/32"	1-3/16"	62.80
2006	400 TVR	3402-664	UA400	33-5/32"	1-3/16"	62.80
2006	50 Y-6 YOUTH	3303-537	UA403	26-21/32"	11/16"	40.10
2006	500 4X4 FIS AUTO	3402-757	UA401	36-27/32"	1-7/16"	64.20
2006	500 TBX	3402-757	UA401	36-27/32"	1-7/16"	64.20
2006	500 TVR	3402-757	UA401	36-27/32"	1-7/16"	64.20
2006	650 H1 SE	0823-013	UA406	36-3/4"	1-29/64"	69.40
2006	650 V-TWIN FIS AUTO	3201-242	UA418	33-17/64"	1-1/8"	63.00
2006	90 Y-12 YOUTH	3303-095	UA415	28-3/8"	11/16"	40.10
2006	PROWLER XT 650 H1	0823-013	UA406	36-3/4"	1-29/64"	69.40
<b>2005</b>	650 H1 LE	0823-013	UA406	36-3/4"	1-29/64"	69.40
2005	650 V-TWIN FIS AUTO	3201-242	UA418	33-17/64"	1-1/8"	63.00
2005	500 FIS AUTOMATIC	3402-757	UA401	36-27/32"	1-7/16"	64.20
2005	500 TBX	3402-757	UA401	36-27/32"	1-7/16"	64.20
2005	500 TRV	3402-757	UA401	36-27/32"	1-7/16"	64.20
2005	400 FIS AUTOMATIC	3402-664	UA400	33-5/32"	1-3/16"	62.80
2005	400 TBX	3402-664	UA400	33-5/32"	1-3/16"	62.80
2005	90 AUTOMATIC	3301-756	UA414	26-13/16"	45/64"	40.10
2005	50 AUTOMATIC	3301-113	UA402	35-3/16"	11/16"	43.40

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

**ARCTIC CAT - Continued**

<b>YEAR</b>	<b>MODEL</b>	<b>MFG. PART NO.</b>	<b>JAYDEE BELT PART NO.</b>	<b>OUTSIDE CIRCUMFERENCE</b>	<b>TOP WIDTH</b>	<b>LIST PRICE</b>
<b>2004</b>	50cc YOUTH	3301-113	UA402	35-3/16"	11/16"	43.40
2004	90cc YOUTH	3301-113	UA402	35-3/16"	11/16"	43.40
2004	90cc 4 STROKE	3301-756	UA414	26-13/16"	45/64"	40.10
2004	400 4X4 AUTO	3402-664	UA400	33-5/32"	1-3/16"	62.80
2004	400 4X4 AUTO FIS	3402-664	UA400	33-5/32"	1-3/16"	62.80
2004	400 2X4 AUTO FIS	3402-664	UA400	33-5/32"	1-3/16"	62.80
2004	400 4X4 TBX	3402-664	UA400	33-5/32"	1-3/16"	62.80
2004	500 4X4 TBX	3402-757	UA401	36-27/32"	1-7/16"	64.20
2004	500 4X4 2-UP TRV	3402-757	UA401	36-27/32"	1-7/16"	64.20
2004	500 FIS AUTOMATIC	3402-757	UA401	36-27/32"	1-7/16"	64.20
2004	650 SE TWIN FIS AUTO	3201-242	UA418	33-17/64"	1-1/8"	63.00
2004	650 TWIN FIS AUTOMATIC	3201-242	UA418	33-17/64"	1-1/8"	63.00
<b>2003</b>	400 4X4	3402-664	UA400	33-5/32"	1-3/16"	62.80
2003	401 2X4 AUTO FIS	3402-664	UA400	33-5/32"	1-3/16"	62.80
2003	400 4X4 AUTO FIS	3402-664	UA400	33-5/32"	1-3/16"	62.80
2003	500 4X4 AUTO FIS	3402-757	UA401	36-27/32"	1-7/16"	64.20
2003	500 4X4 TBX	3402-757	UA401	36-27/32"	1-7/16"	64.20
2003	500 4X4 2-UP TRV	3402-757	UA401	36-27/32"	1-7/16"	64.20
2003	90 AUTOMATIC	3301-113	UA402	35-3/16"	11/16"	43.40
<b>2002</b>	375 AUTOMATIC	3402-664	UA400	33-5/32"	1-3/16"	62.80
2002	500 4X4 AUTOMATIC	3402-484	UA401	36-27/32"	1-7/16"	64.20
2002	500i	3402-484	UA401	36-27/32"	1-7/16"	64.20
2002	500 TBX	3402-484	UA401	36-27/32"	1-7/16"	64.20
2002	90 AUTOMATIC	3301-113	UA402	35-3/16"	11/16"	43.40
2002	500 4x4 AUTO	3402-484	UA401	36-27/32"	1-7/16"	64.20
<b>2001</b>	500 4X4 AUTO	3402-484	UA401	36-27/32"	1-7/16"	64.20

**ARGO**

<b>YEAR</b>	<b>MODEL</b>	<b>MFG. PART NO.</b>	<b>JAYDEE BELT PART NO.</b>	<b>OUTSIDE CIRCUMFERENCE</b>	<b>TOP WIDTH</b>	<b>LIST PRICE</b>
<b>2008</b>	8X8 AVENGER 750 EFI	127-137	UA428	42-15/64"	1-3/16"	43.40
2008	8X8 AVENGER 700	127-137	UA428	42-15/64"	1-3/16"	43.40
<b>2007</b>	AVENGER EFI	127-137	UA428	42-15/64"	1-3/16"	43.40
2007	AVENGER 8X8	127-137	UA428	42-15/64"	1-3/16"	43.40
2007	RESPONSE 8X8	125-56	UA433	52-1/8"	1-29/64"	63.30
2007	VANGUARD 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2007	VANGUARD2 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

ARGO - Continued						
YEAR	MODEL	MFG. PART NO.	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
2006	AVENGER 8X8	127-137	UA428	42-15/64"	1-3/16"	43.40
2006	BIGFOOT 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2006	CONQUEST 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2006	CONQUEST 8X8	125-56	UA433	52-1/8"	1-29/64"	63.30
2006	RESPONSE 8X8	125-56	UA433	52-1/8"	1-29/64"	63.30
2006	VANGUARD 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2006	VANGUARD2 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2005	AVENGER 8X8	127-137	UA428	42-15/64"	1-3/16"	43.40
2005	BIGFOOT 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2005	CONQUEST 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2005	CONQUEST 8X8	125-56	UA433	52-1/8"	1-29/64"	63.30
2005	RESPONSE 8X8	125-56	UA433	52-1/8"	1-29/64"	63.30
2005	VANGUARD 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2005	VANGUARD2 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2004	BIGFOOT 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2004	CONQUEST 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2004	CONQUEST 8X8	125-56	UA433	52-1/8"	1-29/64"	63.30
2004	RESPONSE 8X8	125-56	UA433	52-1/8"	1-29/64"	63.30
2004	VANGUARD 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30
2004	VANGUARD2 6X6	125-56	UA433	52-1/8"	1-29/64"	63.30

BRP CAN-AM						
YEAR	MODEL	MFG. PART NO.	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
2008	OUTLANDER 400 EFI STD	715900024	UA435	37-7/64"	1-1/4"	63.40
2008	OUTLANDER 400 EFI XT	715900024	UA435	37-7/64"	1-1/4"	63.40
2008	OUTLANDER 400 STD	715900024	UA435	37-7/64"	1-1/4"	63.40
2008	OUTLANDER 400 XT	715900024	UA435	37-7/64"	1-1/4"	63.40
2008	OUTLANDER 400 MAX STD EFI	715900024	UA435	37-7/64"	1-1/4"	63.40
2008	OUTLANDER 400 MAX XT EFI	715900024	UA435	37-7/64"	1-1/4"	63.40
2008	OUTLANDER 400 MAX STD	715900024	UA435	37-7/64"	1-1/4"	63.40
2008	OUTLANDER 400 MAX XT	715900024	UA435	37-7/64"	1-1/4"	63.40
2008	OUTLANDER 500 STD	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 500 XT	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 500 MAX STD	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 500 MAX XT	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 650 STD	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 650 XT	715900030	UA419	38-11/16"	1-5/16"	71.20

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

**BRP CAN-AM - Continued**

<b>YEAR</b>	<b>MODEL</b>	<b>MFG. PART NO.</b>	<b>JAYDEE BELT PART NO.</b>	<b>OUTSIDE CIRCUMFERENCE</b>	<b>TOP WIDTH</b>	<b>LIST PRICE</b>
<b>2008</b>	<b>CONTINUED</b>					
2008	OUTLANDER 650 MAX STD	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 650 MAX XT	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 800 STD	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 800 XT	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 800 MAX STD	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 800 MAX LTD	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	OUTLANDER 800 MAX XT	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	RENEGADE 500	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	RENEGADE X 800	715900030	UA419	38-11/16"	1-5/16"	71.20
2008	RENEGADE 800	715900030	UA419	38-11/16"	1-5/16"	71.20
<b>2007</b>						
2007	OUTLANDER 400 STD 4X4 & XT	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2007	OUTLANDER 500 STD 4X4 & XT	715-900-030	UA419	38-11/16"	1-5/16"	71.20
2007	OUTLANDER 650 STD 4X4 & XT	715-900-030	UA419	38-11/16"	1-5/16"	71.20
2007	OUTLANDER 800 STD 4X4 & XT	715-900-030	UA419	38-11/16"	1-5/16"	71.20
2007	OUTLANDER MAX 400 STD 4X4 & XT	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2007	OUTLANDER MAX 500 STD 4X4 & XT	715-900-030	UA419	38-11/16"	1-5/16"	71.20
2007	OUTLANDER MAX 650 STD 4X4 & XT	715-900-030	UA419	38-11/16"	1-5/16"	71.20
2007	OUTLANDER MAX 8000 STD 4X4	715-900-030	UA419	38-11/16"	1-5/16"	71.20
2007	RENEGADE 800EFI	715-900-373	UA419	38-11/16"	1-5/16"	71.20
<b>2006</b>						
2006	OUTLANDER 800 H.O. EFI 4X4	715-900-030	UA419	38-11/16"	1-5/16"	71.20
2006	OUTLANDER 400 H.O. EFI	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2006	OUTLANDER 400 H.O.	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2006	DS90	A23100-117-000	UA436	35-3/16"	43/64"	40.10
2006	DS50	A23100-117-000	UA436	35-3/16"	43/64"	40.10
<b>2005</b>						
2005	OUTLANDER 330 H.O. 2X4	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2005	OUTLANDER 330 H.O. 4X4	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2005	OUTLANDER 400 H.O. 4X4	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2005	OUTLANDER 400 H.O.	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2005	TRAXTER 500 AUTO CVT	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2005	TRAXTER 650 AUTO CVT	715-900-023	UA420	37-11/32"	1-19/64"	71.20
2005	TRAXTER MAX 650 AUTO CVT	715-900-023	UA420	37-11/32"	1-19/64"	71.20
2005	DS90 2-STROKE	A23100-117-000	UA436	35-3/16"	43/64"	40.10
2005	DS50 2-STROKE	A23100-117-000	UA436	35-3/16"	43/64"	40.10
2005	SARASOTA	VG10274	UA434	43-15/64"	1-13/64"	40.10
<b>2004</b>						
2004	DS90 2-STROKE	A23100-117-000	UA436	35-3/16"	43/64"	40.10
2004	DS50 2-STROKE	A23100-117-000	UA436	35-3/16"	43/64"	40.10
2004	OUTLANDER 330 H.O. 2X4	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2004	OUTLANDER 330 H.O. 4X4	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2004	OUTLANDER 400 H.O.	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2004	OUTLANDER MAX 400 H.O.	715-900-024	UA435	37-7/64"	1-1/4"	63.40

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

**BRP CAN-AM - Continued**

<b>YEAR</b>	<b>MODEL</b>	<b>MFG. PART NO.</b>	<b>JAYDEE BELT PART NO.</b>	<b>OUTSIDE CIRCUMFERENCE</b>	<b>TOP WIDTH</b>	<b>LIST PRICE</b>
<b>2004</b>	<b>CONTINUED</b>					
2004	TRAXTER 500 AUTO CVT	715-900-023	UA420	37-11/32"	1-19/64"	71.20
2004	TRAXTER 650 AUTO CVT	715-900-023	UA420	37-11/32"	1-19/64"	71.20
2004	TRAXTER MAX 650 AUTO CVT	715-900-023	UA420	37-11/32"	1-19/64"	71.20
2004	SARASOTA 1000	VG10274	UA434	43-15/64"	1-13/64"	40.10
<b>2003</b>	DS50	A23100-117-000	UA436	35-3/16"	43/64"	40.10
2003	OUTLANDER 400	715-900-024	UA435	37-7/64"	1-1/4"	63.40
2003	QUEST 500 2X4	715-900-023	UA420	37-11/32"	1-19/64"	71.20
2003	QUEST 500 4X4	715-900-023	UA420	37-11/32"	1-19/64"	71.20
2003	QUEST 650	715-900-023	UA420	37-11/32"	1-19/64"	71.20
2003	QUEST 650 XT	715-900-023	UA420	37-11/32"	1-19/64"	71.20
2003	RALLY 200	715-900-023	UA420	37-11/32"	1-19/64"	71.20

**HONDA**

<b>YEAR</b>	<b>MODEL</b>	<b>MFG. PART NO.</b>	<b>JAYDEE BELT PART NO.</b>	<b>OUTSIDE CIRCUMFERENCE</b>	<b>TOP WIDTH</b>	<b>LIST PRICE</b>
<b>1987</b>	FL350 ODYSSEY	22101-VMO-0031	UA404	43-29/32"	1-3/16"	71.60
<b>1986</b>	FL350 ODYSSEY	22101-VMO-0031	UA404	43-29/32"	1-3/16"	71.60
<b>1985</b>	FL350 ODYSSEY	22101-VMO-0031	UA404	43-29/32"	1-3/16"	71.60
<b>1977-1984</b>	FL250 ODYSSEY	704048	UA405	41-27/64"	31/32"	69.40

**KAWASAKI**

<b>YEAR</b>	<b>MODEL</b>	<b>MFG. PART NO.</b>	<b>JAYDEE BELT PART NO.</b>	<b>OUTSIDE CIRCUMFERENCE</b>	<b>TOP WIDTH</b>	<b>LIST PRICE</b>
<b>2008</b>	BRUTE FORCE 650 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2008	BRUTE FORCE 650 4X4i	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2008	BRUTE FORCE 750 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2008	BRUTE FORCE 750 4X4i	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2008	KFX 700	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2008	KFX 700	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2008	PRAIRIE 360 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2008	PRAIRIE 360	59011-0003	UA418	33-17/64"	1-1/8"	63.00
<b>2007</b>	KFX 700	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2007	PRAIRIE 360 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2007	PRAIRIE 360	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2007	BRUTE FORCE 650 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2007	BRUTE FORCE 750 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

**KAWASAKI- CONTINUED**

<b>YEAR</b>	<b>MODEL</b>	<b>MFG. PART NO.</b>	<b>JAYDEE BELT PART NO.</b>	<b>OUTSIDE CIRCUMFERENCE</b>	<b>TOP WIDTH</b>	<b>LIST PRICE</b>
<b>2006</b>	BRUTE FORCE 650 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2006	BRUTE FORCE 750 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2006	KFX 700	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2006	KFX 80	59011-S003	UA421	29-7/8"	23/32"	43.40
2006	PRAIRIE 360	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2006	PRAIRIE 360 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2006	PRAIRIE 700 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
<b>2005</b>	BRUTE FORCE 750 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2005	BRUTE FORCE 650 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2005	KFX700	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2005	KFX 80	59011-S003	UA421	29-7/8"	23/32"	43.40
2005	PRAIRIE 360	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2005	PRAIRIE 700 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
<b>2004</b>	KFX 700 V FORCE	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2004	KFX 80	59011-S003	UA421	29-7/8"	23/32"	43.40
2004	PRAIRIE 360	59011-1084	UA418	33-17/64"	1-1/8"	63.00
2004	PRAIRIE 700 4X4	59011-0003	UA418	33-17/64"	1-1/8"	63.00
<b>2003</b>	KFX 80	59011-S003	UA421	29-7/8"	23/32"	43.40
2003	PRAIRIE 360	59011-0003	UA418	33-17/64"	1-1/8"	63.00
2003	PRAIRIE 650 (4X4)	59011-0003	UA418	33-17/64"	1-1/8"	63.00
<b>2002</b>	PRAIRIE 300	59011-1065	UA409	39-9/32"	1-1/4"	67.80
2002	PRAIRIE 400	59011-1066	UA410	40-33/64"	1-9/32"	68.60
2002	PRAIRIE 650 (4X4)	59011-0003	UA418	33-17/64"	1-1/8"	63.00
<b>2001</b>	PRAIRIE 300	59011-1065	UA409	39-9/32"	1-1/4"	67.80
2001	PRAIRIE 400	59011-1066	UA410	40-33/64"	1-9/32"	68.60
<b>2000</b>	PRAIRIE 300	59011-1065	UA409	39-9/32"	1-1/4"	67.80
2000	PRAIRIE 400	59011-1066	UA410	40-33/64"	1-9/32"	68.60
<b>1999</b>	PRAIRIE 300	59011-1065	UA409	39-9/32"	1-1/4"	67.80
1999	PRAIRIE 400	59011-1066	UA410	40-33/64"	1-9/32"	68.60
<b>1998</b>	PRAIRIE 400	59011-1060	UA411	42-5/32"	1-3/64"	70.30
<b>1997</b>	PRARIE 400	59011-1060	UA411	42-5/32"	1-3/64"	70.30
<b>MULES</b>	MULE 2500 C5/C1	59011-1057	UA429	43-47/64"	1-15/64"	56.80
	MULE 2510 4X4 A5/A1	59011-1057	UA429	43-47/64"	1-15/64"	56.80
	MULE 2520 B5/B1	59011-1057	UA429	43-47/64"	1-15/64"	56.80

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

POLARIS						
YEAR	MODEL	MFG. PART NO.	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
2008	RANGER 500 2X4	3211077	UA412	41"	1-5/32"	45.70
2008	RANGER 500 4X4 EFI	3211077	UA412	41"	1-5/32"	45.70
2008	RANGER 700 4X4 EFI	3211118	UA424	41-7/32"	1-3/16"	81.30
2008	RANGER 700 6X6 EFI	3211118	UA424	41-7/32"	1-3/16"	81.30
2008	RANGER RZR 800 EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SCRAMBLER 2X4 INTL	3211077	UA412	41"	1-5/32"	45.70
2008	SCRAMBLER 500 4X4	3211077	UA412	41"	1-5/32"	45.70
2008	SCRAMBLER 500 4X4 INTL	3211077	UA412	41"	1-5/32"	45.70
2008	SPORTSMAN 300 4X4	3211108	UA427	43-37/64"	1-3/8"	45.70
2008	SPORTSMAN 400 HO 4X4	3211129	UA427	43-37/64"	1-3/8"	45.70
2008	SPORTSMAN X2 500 EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN X2 500 EFI QUAD	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN 500 EFI SCANDINAVIAN	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN 500 HO	3211077	UA412	41"	1-5/32"	45.70
2008	SPORTSMAN 500 HO EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN TOURING 500 EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN TOURING 500 EFI QUAD	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN 6X6	3211077	UA412	41"	1-5/32"	45.70
2008	SPORTSMAN 800 EFI SCANDINAVIAN	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN 800 HO EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN TOURING 800 EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN TOURING 800 EFI INTL	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN X2 700 EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	SPORTSMAN X2 800 EFI LE	3211113	UA426	40-57/64"	1-10/64"	56.80
2008	TRAIL BLAZER 330	3211077	UA412	41"	1-5/32"	45.70
2008	TRAIL BOSS 330	3211077	UA412	41"	1-5/32"	45.70
2007	SPORTSMAN 800 EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2007	SPORTSMAN 700 EFI	3211116	UA426	40-57/64"	1-10/64"	56.80
2007	SPORTSMAN 500 EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2007	SPORTSMAN 450	3211077	UA412	41"	1-5/32"	45.70
2007	SPORTSMAN 6X6	3211077	UA412	41"	1-5/32"	45.70
2007	SPORTSMAN X2 800 EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2007	SPORTSMAN X2 500 EFI	3211113	UA426	40-57/64"	1-10/64"	56.80
2007	HAWKEYE 2X4	3211108	UA427	43-37/64"	1-3/8"	45.70
2007	HAWKEYE 4X4	3211108	UA427	43-37/64"	1-3/8"	45.70
2007	TRAIL BOSS 330	3211077	UA412	41"	1-5/32"	45.70
2007	SCRAMBLER 500	3211077	UA412	41"	1-5/32"	45.70
2007	RANGER 700 EFI 6X6	3211106	UA424	41-7/32"	1-3/16"	81.30
2007	RANGER 500 EFI 4X4	3211077	UA412	41"	1-5/32"	45.70
2007	RANGER 700 EFI/LE 4X4	3211106	UA424	41-7/32"	1-3/16"	81.30
2006	SPORTSMAN 800 EFI	3211106	UA424	41-7/32"	1-3/16"	81.30
2006	SPORTSMAN 700 EFI	3211091	UA413	41"	1-5/32"	48.30
2006	SPORTSMAN 700 TWIN	3211091	UA413	41"	1-5/32"	48.30
2006	SPORTSMAN 500 EFI	3211091	UA413	41"	1-5/32"	48.30
2006	SPORTSMAN 500 H.O.	3211077	UA412	41"	1-5/32"	45.70

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

POLARIS- Continued						
YEAR	MODEL	MFG. PART NO.	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
<b>2006</b>	<b>CONTINUED</b>					
2006	SPORTSMAN 450	3211077	UA412	41"	1-5/32"	45.70
2006	SPORTSMAN X2	3211091	UA413	41"	1-5/32"	48.30
2006	SPORTSMAN MV7	3211091	UA413	41"	1-5/32"	48.30
2006	SPORTSMAN 6X6	3211077	UA412	41"	1-5/32"	45.70
2006	HAWKEYE 2X4	3211108	UA427	43-37/64"	1-3/8"	45.70
2006	HAWKEYE 4X4	3211108	UA427	43-37/64"	1-3/8"	45.70
2006	MAGNUM 330 4X4	3211077	UA412	41"	1-5/32"	45.70
2006	TRAIL BOSS 330	3211077	UA412	41"	1-5/32"	45.70
2006	SCRAMBLER 500	3211077	UA412	41"	1-5/32"	45.70
2006	TRAIL BLAZER 250	3211077	UA412	41"	1-5/32"	45.70
2006	SPORTSMAN 90	0450239	UA436	35-3/16"	43/64"	40.10
2006	PREDATOR 90	0450239	UA436	35-3/16"	43/64"	40.10
2006	RANGER 500 2X4/4X4	3211077	UA412	41"	1-5/32"	45.70
2006	RANGER 500 4X4 EFI	3211077	UA412	41"	1-5/32"	45.70
2006	RANGER 6X6 EFI 700	3211106	UA424	41-7/32"	1-3/16"	81.30
2006	RANGER XP 4X4 700	3211106	UA424	41-7/32"	1-3/16"	81.30
<b>2005</b>	SPORTSMAN 800 TWIN EFI	3211106	UA424	41-7/32"	1-3/16"	81.30
2005	SPORTSMAN 700 TWIN EFI	3211091	UA413	41"	1-5/32"	48.30
2005	SPORTSMAN 700 TWIN	3211091	UA413	41"	1-5/32"	48.30
2005	SPORTSMAN 600 TWIN	3211091	UA413	41"	1-5/32"	48.30
2005	SPORTSMAN 500 H.O.	3211095	UA413	41"	1-5/32"	48.30
2005	SPORTSMAN 400	3211077	UA412	41"	1-5/32"	45.70
2005	SPORTSMAN 6X6	3211077	UA412	41"	1-5/32"	45.70
2005	SPORTSMAN 700 MV	3211091	UA413	41"	1-5/32"	48.30
2005	ATP 500 H.O.	3211069	UA413	41"	1-5/32"	48.30
2005	ATP 330	3211077	UA412	41"	1-5/32"	45.70
2005	MAGNUM 330 2X4	3211077	UA412	41"	1-5/32"	45.70
2005	MAGNUM 330 4X4	3211077	UA412	41"	1-5/32"	45.70
2005	TRAIL BOSS 330	3211077	UA412	41"	1-5/32"	45.70
2005	TRAIL BLAZER 250	3211077	UA412	41"	1-5/32"	45.70
2005	SCRAMBLER 500	3211077	UA412	41"	1-5/32"	45.70
2005	RANGER 2X4/4X4/6X6	3211077	UA412	41"	1-5/32"	45.70
2005	RANGER XP	3211106	UA424	41-7/32"	1-3/16"	81.30
<b>2004</b>	ATP 330	3211077	UA412	41"	1-5/32"	45.70
2004	ATP 500 H.O.	3211069	UA413	41"	1-5/32"	48.30
2004	MAGNUM 330 2X4	3211077	UA412	41"	1-5/32"	45.70
2004	MAGNUM 330 4X4	3211077	UA412	41"	1-5/32"	45.70
2004	PTV 4X4	3211077	UA412	41"	1-5/32"	45.70
2004	PTV 6X6	3211077	UA412	41"	1-5/32"	45.70
2004	RANGER 2X4	3211077	UA412	41"	1-5/32"	45.70
2004	RANGER 4X4	3211077	UA412	41"	1-5/32"	45.70
2004	RANGER 6X6	3211077	UA412	41"	1-5/32"	45.70

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

POLARIS - Continued						
YEAR	MODEL	MFG. PART NUMBER	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
<b>2004</b>	<b>CONTINUED</b>					
2004	SCRAMBLER 500	3211077	UA412	41"	1-5/32"	45.70
2004	SPORTSMAN 400	3211077	UA412	41"	1-5/32"	45.70
2004	SPORTSMAN 500 H.O.	3211069	UA413	41"	1-5/32"	48.30
2004	SPORTSMAN 500 H.O. MOSSY OAK	3211069	UA413	41"	1-5/32"	48.30
2004	SPORTSMAN 600 TWIN	3211091	UA413	41"	1-5/32"	48.30
2004	SPORTSMAN 6X6	3211077	UA412	41"	1-5/32"	45.70
2004	SPORTSMAN 700 TWIN	3211091	UA413	41"	1-5/32"	48.30
2004	SPORTSMAN 700 TWIN EFI	3211091	UA413	41"	1-5/32"	48.30
2004	SPORTSMAN 700 TWIN MOSSY OAK	3211091	UA413	41"	1-5/32"	48.30
2004	TRAIL BLAZER 250	3211077	UA412	41"	1-5/32"	45.70
2004	TRAIL BOSS 330	3211077	UA412	41"	1-5/32"	45.70
2004	UTV 2X4	3211077	UA412	41"	1-5/32"	45.70
2004	UTV 4X4	3211077	UA412	41"	1-5/32"	45.70
2004	UTV 6X6	3211077	UA412	41"	1-5/32"	45.70
2004	RANGER 2X4/4X4/6X6	3211077	UA412	41"	1-5/32"	45.70
<b>2003</b>	MAGNUM 330 2X4	3211077	UA412	41"	1-5/32"	45.70
2003	MAGNUM 330 4X4	3211077	UA412	41"	1-5/32"	45.70
2003	RANGER 2X4	3211077	UA412	41"	1-5/32"	45.70
2003	RANGER 4X4	3211077	UA412	41"	1-5/32"	45.70
2003	RANGER 6X6	3211077	UA412	41"	1-5/32"	45.70
2003	SCRAMBLER 500 4X4	3211077	UA412	41"	1-5/32"	45.70
2003	SPORTSMAN 400	3211077	UA412	41"	1-5/32"	45.70
2003	SPORTSMAN 500 H.O.	3211069	UA413	41"	1-5/32"	48.30
2003	SPORTSMAN 600 TWIN	3211091	UA413	41"	1-5/32"	48.30
2003	SPORTSMAN 6X6	3211077	UA412	41"	1-5/32"	45.70
2003	SPORTSMAN 700 TWIN	3211091	UA413	41"	1-5/32"	48.30
2003	SPORTSMAN 90	3211069	UA413	41"	1-5/32"	48.30
2003	TRAIL BLAZER 250	3211077	UA412	41"	1-5/32"	45.70
2003	TRAIL BLAZER 400	3211077	UA412	41"	1-5/32"	45.70
2003	TRAIL BOSS 330	3211077	UA412	41"	1-5/32"	45.70
<b>2002</b>	INT'L BIG BOSS 6X6	3211069	UA413	41"	1-5/32"	48.30
2002	MAGNUM 500 2X4 HDS	3211069	UA413	41"	1-5/32"	48.30
2002	MAGNUM 500 RMK	3211069	UA413	41"	1-5/32"	48.30
2002	MAGNUM 500 VL HDS	3211069	UA413	41"	1-5/32"	48.30
2002	SCRAMBLER 500 4X4	3211077	UA412	41"	1-5/32"	45.70
2002	SPORTSMAN 400	3211077	UA412	41"	1-5/32"	45.70
2002	SPORTSMAN 6X6	3211077	UA412	41"	1-5/32"	45.70
2002	SPORTSMAN 700 TWIN	3211091	UA413	41"	1-5/32"	48.30
2002	SCRAMBLER 400 2X4	3211069	UA413	41"	1-5/32"	48.30
2002	TRAIL BLAZER 250	3211077	UA412	41"	1-5/32"	45.70

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

POLARIS - Continued						
YEAR	MODEL	MFG. PART NUMBER	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
<b>2001</b>	ALL DIESEL MODELS	3211069	UA413	41"	1-5/32"	48.30
2001	XPEDITION 325	3211069	UA413	41"	1-5/32"	48.30
2001	INT'L BIG BOSS 6X6	3211069	UA413	41"	1-5/32"	48.30
2001	MAGNUM 325	3211077	UA412	41"	1-5/32"	45.70
2001	MAGNUM 500	3211069	UA413	41"	1-5/32"	48.30
2001	MAGNUM 500 w/EB	3211069	UA413	41"	1-5/32"	48.30
2001	SCRAMBLER 400 (2X4)	3211077	UA412	41"	1-5/32"	45.70
2001	SCRAMBLER 500	3211077	UA412	41"	1-5/32"	45.70
2001	SPORTSMAN 500 H.O.	3211077	UA412	41"	1-5/32"	45.70
2001	SPORTSMAN 500 H.O. DUSE	3211077	UA412	41"	1-5/32"	45.70
2001	SPORTSMAN 500 H.O. DUSE w/EB	3211069	UA413	41"	1-5/32"	48.30
2001	SPORTSMAN 500 H.O. RSE	3211077	UA412	41"	1-5/32"	45.70
2001	SPORTSMAN 500 H.O. w/EB	3211069	UA413	41"	1-5/32"	48.30
2001	SPORTSMAN 6X6	3211077	UA412	41"	1-5/32"	45.70
2001	TRAIL BLAZER 250	3211077	UA412	41"	1-5/32"	45.70
2001	TRAIL BOSS 325	3211077	UA412	41"	1-5/32"	45.70
2001	XPLORER 400	3211077	UA412	41"	1-5/32"	45.70
2001	XPLORER 4X4	3211077	UA412	41"	1-5/32"	45.70
<b>2000</b>	ATV'S (NON EBS)	3211077	UA412	41"	1-5/32"	45.70
2000	INT'L BIG BOSS	3211069	UA413	41"	1-5/32"	48.30
2000	DEISEL	3211069	UA413	41"	1-5/32"	48.30
2000	MAGNUM 325	3211077	UA412	41"	1-5/32"	45.70
2000	MAGNUM 500	3211077	UA412	41"	1-5/32"	45.70
2000	MAGNUM 500 w/EB	3211069	UA413	41"	1-5/32"	48.30
2000	SCRAMBLER 400 (2X4)	3211077	UA412	41"	1-5/32"	45.70
2000	SCRAMBLER 400 (4X4)	3211077	UA412	41"	1-5/32"	45.70
2000	SCRAMBLER 500	3211077	UA412	41"	1-5/32"	45.70
2000	SPORTSMAN 335	3211077	UA412	41"	1-5/32"	45.70
2000	SPORTSMAN 500	3211069	UA413	41"	1-5/32"	48.30
2000	SPORTSMAN 500 RSE	3211077	UA412	41"	1-5/32"	45.70
2000	SPORTSMAN 6X6	3211077	UA412	41"	1-5/32"	45.70
2000	TRAIL BLAZER 250	3211077	UA412	41"	1-5/32"	45.70
2000	TRAIL BOSS 325	3211077	UA412	41"	1-5/32"	45.70
2000	XPLORER 400	3211077	UA412	41"	1-5/32"	45.70
<b>1999</b>	RANGER	3211077	UA412	41"	1-5/32"	45.70
1999	ATV'S (NON EBS)	3211077	UA412	41"	1-5/32"	45.70
<b>1998</b>	ATV'S (ALL MODELS)	3211077	UA412	41"	1-5/32"	45.70
<b>1990 - 97</b>	ATV'S (ALL MODELS)	3211048	UA412	41"	1-5/32"	45.70

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

SUZUKI						
YEAR	MODEL	MFG. PART NUMBER	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
2008	KING QUAD 750 Axi	27601-31G00	UA437	37-5/16"	1-7/16"	84.10
2008	KING QUAD 400FS	27601-38F00	UA400	33-5/32"	1-3/16"	62.80
2008	KING QUAD 400AS	27601-38F00	UA400	33-5/32"	1-3/16"	62.80
2008	EIGER 400 4X4 & 4X2 AUTO	27601-38F00	UA400	33-5/32"	1-3/16"	62.80
2007	LT-A700 X KINGQUAD 700 4X4	27601-31G00	UA437	37-5/16"	1-7/16"	84.10
2007	LT-A500 F VINSON 500 4 X 4 AUTO	27601-09F60	UA401	36-27/32"	1-7/16"	64.20
2007	LT-A400 F EIGER 400 44 & 4X2 AUTO	27601-38500	UA400	33-5/32"	1-3/16"	62.80
2006	KING QUAD 700 4X4	27601-31G00	UA437	37-5/16"	1-7/16"	84.10
2006	TWIN PEAKS 700 4X4	K5901-10003	UA418	33-17/64"	1-1/8"	63.00
2006	VINSON 500 4X4	27601-09F60	UA401	36-27/32"	1-7/16"	64.20
2006	EIGER 400 4X4	27601-38F00	UA400	33-5/32"	1-3/16"	62.80
2006	QUADSPORT 80	27601-40B01	UA421	29-7/8"	23/32"	43.40
2005	KINGQUAD 700	27601-31G00	UA401	36-27/32"	1-7/16"	64.20
2005	TWIN PEAK 700	K5901-10003	UA418	33-17/64"	1-1/8"	63.00
2005	VINSON 500 4X4 AUTO	27601-09F60	UA401	36-27/32"	1-7/16"	64.20
2005	EIGER 400 4X4 AUTO	27601-38F00	UA400	33-5/32"	1-3/16"	62.80
2005	QUADSPORT 80	27601-40B01	UA421	29-7/8"	23/32"	43.40
2005	QUV	K5901-11077	UA429	43-47/64"	1-15/64"	56.80
2004	LTA400F EIGER AUTO 4WD	27601-38F00	UA400	33-5/32"	1-3/16"	62.80
2004	LTA400 EIGER AUTO 2WD	27601-38F00	UA400	33-5/32"	1-3/16"	62.80
2004	LT80	27601-40B01	UA421	29-7/8"	23/32"	43.40
2004	TWIN PEAK 700	K5901-10003	UA418	33-17/64"	1-1/8"	63.00
2004	LTA500F VINSON AUTO 4WD	27601-09F60	UA401	36-27/32"	1-7/16"	64.20
2003	LTA400F EIGER AUTO 4WD	27601-38F00	UA400	33-5/32"	1-3/16"	62.80
2003	LTA400 EIGER AUTO 2WD	27601-38F00	UA400	33-5/32"	1-3/16"	62.80
2003	LT80	27601-40B01	UA421	29-7/8"	23/32"	43.40
2003	LTA500F VINSON AUTO 4WD	27601-09F60	UA401	36-27/32"	1-7/16"	64.20
2002	LTA400F EIGER AUTO 4WD	27601-38F00	UA400	33-5/32"	1-3/16"	62.60
2002	LTA400 EIGER AUTO 2WD	27601-38F00	UA400	33-5/32"	1-3/16"	62.60
2002	LT80	27601-40B01	UA421	29-7/8"	23/32"	43.40
2002	LTA500F VINSON AUTO 4WD	27601-09F60	UA401	36-27/32"	1-7/16"	64.20
2001	LT80	27601-40B01	UA421	29-7/8"	23/32"	43.40
2001	LTA500F AUTO QUAD MASTER	27601-09F60	UA401	36-27/32"	1-7/16"	64.20
2000	LT80	27601-40B01	UA421	29-7/8"	23/32"	43.40
2000	LTA500F AUTO 4WD	27601-09F51	UA401	36-27/32"	1-7/16"	64.20
1987 - 1999	LT80	27601-40B01	UA421	29-7/8"	23/32"	43.40

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

YAMAHA						
YEAR	MODEL	MFG. PART NUMBER	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
<b>2008</b>	GRIZZLY 125 YFM125GHX	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2008	GRIZZLY 125 YFM125GX	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2008	GRIZZLY 125 YZ125GX	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2008	GRIZZLY 350 YFM35FGIHX	5UH-17641-01-00	UA416	33-11/16"	1-11/64"	65.50
2008	GRIZZLY 350 YFM35FGIX	5UH-17641-01-00	UA416	33-11/16"	1-11/64"	65.50
2008	GRIZZLY 350 YFM35FGX 4X4	5UH-17641-01-00	UA416	33-11/16"	1-11/64"	65.50
2008	GRIZZLY 350 YFM35GX	5UH-17641-01-00	UA416	33-11/16"	1-11/64"	65.50
2008	GRIZZLY 450 YFM45FGX 4X4	5GH-17641-10-00	UA417	34-1/2"	1-13/64"	63.80
2008	GRIZZLY 660 YFM66FGHX	5KM-17641-01-00	UA422	37"	1-19/64"	65.90
2008	GRIZZLY 660 YFM66FGX	5KM-17641-01-00	UA422	37"	1-19/64"	65.90
2008	RHINO 450	5GH-17641-10-00	UA417	34-1/2"	1-13/64"	63.80
2008	RHINO 660	5KM-17641-01-00	UA422	37"	1-19/64"	65.90
2008	WOLVERINE 350 YFM35XX	5UH-17641-01-00	UA416	33-11/16"	1-11/64"	65.50
<b>2007</b>	GRIZZLY 125 AUTOMATIC	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2007	GRIZZLY 350 4WD & 2WD	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
2007	WOLVERINE 350 2WD SPORT	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
2007	GRIZZLY 400	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2007	GRIZZLY 450	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2007	GRIZZLY 660	5KM-17641-22-00	UA422	37"	1-19/64"	65.90
<b>2006</b>	KODIAK 450 AUTO 4X4	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2006	GRIZZLY 660 AUTO 4X4	5KM-17641-00-00	UA422	37"	1-19/64"	65.90
2006	KODIAK 400 AUTO 4X4	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2006	BRUIN 350 AUTO 4X4	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
2006	BRUIN 350 2X4	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
2006	RHINO 450	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2006	RHINO 660 AWD	5KM-17641-00-00	UA422	37"	1-19/64"	65.90
<b>2005</b>	GRIZZLY 660 AUTO 4X4	5KM-17641-00-00	UA422	37"	1-19/64"	65.90
2005	KODIAK 450 AUTO 4X4	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2005	KODIAK 400 AUTO 4X4	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2005	BRUIN 350 AUTO 4X4	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
2005	BRUIN 350 AUTO	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
<b>2004</b>	BREEZE	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2004	BREEZE	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2004	GRIZZLY 125	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2004	BRUIN 350 AUTO 4X4 HDW CAMO	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
2004	BRUIN 350 AUTO 4X4	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
2004	BRUIN 350 AUTO 2WD	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
2004	BRUIN 350 AUTO HDW	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50
2004	BRUIN 350 AUTO	5UH-17641-00-00	UA416	33-11/16"	1-11/64"	65.50

Please Note: The belt dimensions provided by JayDee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.

YAMAHA						
YEAR	MODEL	MFG. PART NUMBER	JAYDEE BELT PART NO.	OUTSIDE CIRCUMFERENCE	TOP WIDTH	LIST PRICE
<b>2004</b>	<b>CONTINUED</b>					
2004	KODIAK 450 AUTO 4X4 HDW CAMO	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2004	KODIAK 450 AUTO 4X4	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2004	KODIAK 400 2WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2004	KODIAK 400 AUTO 4X4 HDW CAMO	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2004	KODIAK 400 AUTO 4X4	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2004	GRIZZLY 660 HDW CAMO	5KM-17641-00-00	UA422	37"	1-19/64"	65.90
2004	GRIZZLY 660 AUTO 4X4 WETLAND	5KM-17641-00-00	UA422	37"	1-19/64"	65.90
2004	GRIZZLY 660 AUTO 4X4 LIMITED	5KM-17641-00-00	UA422	37"	1-19/64"	65.90
2004	GRIZZLY 660	5KM-17641-00-01	UA423	37-11/64"	1-17/64"	65.90
<b>2003</b>	<b>BREEZE</b>	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2003	GRIZZLY 660	5KM-17641-00-01	UA422	37"	1-19/64"	65.90
2003	GRIZZLY 660 4 X 4	5KM-17641-00-01	UA422	37"	1-19/64"	65.90
2003	KODIAK 400	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2003	KODIAK 400 4WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2003	KODIAK 450 4WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
<b>2002</b>	<b>BREEZE</b>	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2002	GRIZZLY	5KM-17641-00-00	UA422	37"	1-19/64"	65.90
2002	KODIAK 400 4WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2002	KODIAK 450 4WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
<b>2001</b>	<b>BREEZE</b>	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2001	GRIZZLY	4WV-17641-00-00	UA423	37-11/64"	1-17/64"	65.90
2001	KODIAK 400 4WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2001	KODIAK 450 4WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2001	KODIAK 2WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2001	KODIAK 4WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
<b>2000</b>	<b>BREEZE</b>	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
2000	GRIZZLY	4WV-17641-00-00	UA423	37-11/64"	1-17/64"	65.90
2000	KODIAK 2WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
2000	KODIAK 4WD	5GH-17641-00-00	UA417	34-1/2"	1-13/64"	63.80
<b>1999</b>	<b>BREEZE</b>	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
1999	GRIZZLY	4WV-17641-00-00	UA423	37-11/64"	1-17/64"	65.90
<b>1998</b>	<b>BREEZE</b>	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10
1998	GRIZZLY	4WV-17641-00-00	UA423	37-11/64"	1-17/64"	65.90
<b>1989 - 97</b>	<b>BREEZE</b>	3FA-17641-00-00	UA425	36-61/64"	25/32"	66.10

Please Note: The belt dimensions provided by Jaydee are for reference only. These dimensions should not be used to determine product functionality. JayDee belts are built to exacting specifications and inspected with calibrated equipment at specified tensions to assure strict dimensional compliance. Belt dimensions can vary from one manufacturer to another based on proprietary design information.



FRACTIONAL HORSEPOWER (FHP) STANDARD - DRY FABRIC WRAPPED - KEVLAR  
CONVENTIONAL (A-B-C-D-E)  
KEVLAR CORD CONVENTIONAL (A-B-C)  
NARROW WEDGE (3V - 5V - 8V)  
KEVLAR CORD NARROW WEDGE (8V)  
CONVENTIONAL RAW EDGE COGGED (AX - BX - CX)  
NARROW WEDGE RAW EDGE COGGED (3VX - 5VX - 8VX)  
DOUBLE SIDED (AA - BB - CC)  
BANDED CONVENTIONAL (RA - RB - RBX - RC - RD)  
KEVLAR BANDED CONVENTIONAL (RGK)  
BANDED NARROW WEDGE (R3V - R5V - R8V)  
BANDED NARROW WEDGE COGGED (R3VX - R5VX)  
METRIC NARROW WEDGE (SPZ-SPZ-SPB-SPC)  
METRIC NARROW WEDGE COGGED (XPZ - XPA - XPB - XPC)  
TIMING (MXL - XL - L - H - XH - XXH)  
DUAL SIDED TIMING (DXL - DL - DH)  
VARIABLE SPEED  
POLYVEE (J - L - M)  
HTD/RPP METRIC TIMING (3M - 5M - 8M - 14M - 20M)  
DUAL SIDED HTD/RPP METRIC TIMING (D5M - D8M - D14M)  
STS/STD SUPER TORQUE METRIC TIMING (S4.5M - S5M - S8M - S14M)  
DUAL SIDED STS/STD SUPER TORQUE METRIC TIMING (DS4.5M - DS5M - DS14M)  
POLYURETHANE METRIC TIMING WITH STEEL CORD (T2.5 - T5 - T10)  
POLYURETHANE METRIC TIMING WITH STEEL CORD (AT5 - AT10)  
DUAL SIDED POLYURETHANE METRIC TIMING WITH STEEL CORD (DT5 - DT10)  
POLYMAX (3M - 5M - 7M - 11M)  
BANDED POLYMAX (D5M - D7M - D11M)  
EUROPEAN METRIC VARIABLE SPEED  
ROULANDS METRIC VARIABLE SPEED  
SNOWMOBILE BELTS  
VINTAGE SNOWMOBILE BELTS

IF A BROKEN BELT CAN NOT BE REPLACED IN A SHORT PERIOD, IT COULD  
CAUSE UNNECESSARY AND COSTLY DOWNTIME. TO AVOID INVALUABLE  
LOSS OF PRODUCTION TIME JUST CALL JAYDEE ENTERPRISES INC.  
FOR ALL OF YOUR V-BELT REQUIREMENTS.

IF WE DON'T HAVE YOUR BELT IN STOCK - IT CAN BE ADDED TO OUR  
COMPREHENSIVE INVENTORY.

CALL TODAY! ASK FOR PRICES AND LITERATURE - ALL ARE AVAILABLE IN  
HARDBACK OR CD.

## **JAYDEE ENTERPRISES INC.**

3465 LOST NATION RD. - UNIT #15

WILLOUGHBY, OH 44094

PHONE: 440-946-9367 TOLL-FREE: 800-989-0162

FAX: 440-946-6148

E-MAIL: [JAYDEEBELTS@SBCGLOBAL.NET](mailto:JAYDEEBELTS@SBCGLOBAL.NET) \*\*WEBSITE [WWW.JDV-BELTS.COM](http://WWW.JDV-BELTS.COM)