



DUAL TIMING BELTS (DXL)

Recommended for the dual positive drive which is required to change the direction on one or more synchronous pulleys with one belt. The inside and outside teeth are identical in both size and pitch.




0.200" Pitch (DXL) Extra Light Duty Dual Synchronous Belts Material: Neoprene

Belt No.	Pitch length		Number of Teeth	List Prices		
	inch	mm		1/4" wide Code 025	5/16" wide Code 031	3/8" wide Code 037
120DXL	12.0	304.80	60	8.23	13.75	15.65
130DXL	13.0	330.20	65	8.85	13.75	15.65
140DXL	14.0	355.60	70	9.41	13.75	15.65
150DXL	15.0	381.00	75	10.02	13.75	15.65
152DXL	15.2	386.08	76	12.37	13.75	15.65
154DXL	15.4	391.16	77	12.37	13.75	15.65
156DXL	15.6	196.40	78	12.37	13.75	15.65
160DXL	16.0	406.40	80	12.37	13.75	15.65
162DXL	16.2	411.48	81	12.63	14.01	15.90
164DXL	16.4	416.66	82	12.63	14.01	15.90
166DXL	16.6	421.64	83	12.63	14.01	15.90
168DXL	16.8	426.72	84	12.63	14.01	15.90
170DXL	17.0	431.80	85	12.63	14.01	15.90
172DXL	17.2	436.88	86	12.83	14.73	16.16
174DXL	17.4	441.96	87	12.83	14.73	16.16
176DXL	17.6	447.04	88	12.83	14.73	16.16
178DXL	17.8	452.12	89	12.83	14.73	16.16
180DXL	18.0	547.20	90	12.83	14.73	16.16
182DXL	18.2	462.28	91	13.09	16.72	16.82
184DXL	18.4	467.36	92	13.09	16.72	16.82
188DXL	18.8	477.52	94	13.09	16.72	16.82
190DXL	19.0	482.60	95	13.09	16.72	16.82
194DXL	19.4	492.78	97	13.60	15.19	17.33
196DXL	19.6	497.84	98	13.60	15.19	17.33
198DXL	19.8	502.92	99	13.60	15.19	17.33
200DXL	20.0	508.00	100	13.60	15.19	17.33
202DXL	20.2	513.08	101	13.75	15.44	17.49
204DXL	20.4	518.16	102	13.75	15.44	17.49
206DXL	20.6	523.24	103	13.75	15.44	17.49
208DXL	20.8	528.32	104	13.75	15.44	17.49
210DXL	21.0	533.40	105	13.75	15.44	17.49
212DXL	21.2	538.48	106	14.01	15.65	18.05
214DXL	21.4	543.56	107	14.01	15.65	18.05
220DXL	22.0	558.80	110	14.01	15.65	18.05
224DXL	22.4	568.96	112	14.73	15.90	18.25
228DXL	22.8	579.12	114	14.73	15.90	18.25
230DXL	22.3	584.20	115	14.73	15.90	18.25
234DXL	23.4	594.36	117	15.19	16.82	19.17
240DXL	24.0	609.60	120	15.19	16.82	19.17
248DXL	24.8	629.92	124	15.19	16.82	19.17
250DXL	25.0	635.00	125	15.19	16.82	19.17
254DXL	25.4	645.16	127	15.44	17.08	19.63
260DXL	26.0	660.40	130	15.44	17.08	19.63
262DXL	26.2	665.48	131	15.65	17.49	20.09
266DXL	26.6	675.64	133	15.65	17.49	20.09
270DXL	27.0	685.80	135	15.65	17.49	20.09
276DXL	27.6	701.04	139	15.90	17.74	20.30
280DXL	28.0	711.20	140	15.90	17.74	20.30




DUAL TIMING BELTS (DXL)

Recommended for the dual positive drive which is required to change the direction on one or more synchronous pulleys with one belt. The inside and outside teeth are identical in both size and pitch.




0.200" Pitch (DXL) Extra Light Duty Dual Synchronous Belts Material: Neoprene

Belt No.	Pitch Length		Number of Teeth	List Prices		
	inch	mm		1/2" wide Code 050	3/4" wide Code 075	1" wide Code 100
282DXL	28.2	716.28	141	16.16	18.05	20.61
290DXL	29.0	736.60	145	16.16	18.05	20.61
300DXL	30.0	762.00	150	16.82	18.25	21.22
310DXL	31.0	787.40	155	18.66	20.45	23.62
314DXL	31.4	797.56	157	18.92	20.71	23.88
316DXL	31.6	802.64	158	19.02	20.86	24.08
320DXL	32.0	812.80	160	19.28	21.12	24.39
322DXL	32.2	817.88	161	19.38	21.22	24.54
330DXL	33.0	838.20	165	19.89	21.78	25.16
340DXL	34.0	863.60	170	20.50	22.39	25.92
344DXL	34.4	873.76	172	20.76	22.70	26.23
348DXL	34.8	883.92	174	21.01	22.96	26.54
352DXL	35.2	894.24	176	21.22	23.26	26.79
356DXL	35.6	904.24	178	21.47	23.47	27.10
360DXL	36.0	914.40	180	21.73	23.78	27.46
364DXL	36.4	924.56	182	21.93	24.03	27.76
370DXL	37.0	939.80	185	22.29	24.44	28.17
372DXL	37.2	944.88	186	22.39	24.54	28.33
376DXL	37.6	955.04	188	22.65	24.80	28.63
380DXL	38.0	965.20	190	22.91	25.10	28.94
384DXL	38.4	975.36	192	23.11	25.31	29.25
388DXL	38.8	985.52	194	23.37	25.62	29.55
390DXL	39.0	990.60	195	23.47	25.72	29.71
392DXL	39.2	995.68	196	23.62	25.87	29.91
396DXL	39.6	1005.84	198	23.83	26.18	30.17
400DXL	40.0	1016.00	200	24.08	26.38	30.47
408DXL	40.8	1036.32	204	24.59	26.95	31.09
424DXL	42.4	1076.96	212	25.56	28.02	32.31
430DXL	43.0	1092.29	215	25.92	28.43	32.72
434DXL	43.4	1102.36	217	26.18	28.63	33.08
450DXL	45.0	1143.00	225	27.10	29.71	34.26
456DXL	45.6	1158.24	228	27.46	30.06	34.77
460DXL	46.0	1168.40	230	27.71	30.37	35.07
470DXL	47.0	1193.80	235	28.33	31.04	35.84
490DXL	49.0	1244.60	245	29.55	32.31	37.38
496DXL	49.6	1259.84	248	29.91	32.72	37.78
510DXL	51.0	1295.40	255	30.73	33.69	38.86
530DXL	53.0	1346.20	265	31.90	34.97	40.39
540DXL	54.0	1371.60	270	32.57	35.64	41.16
564DXL	56.4	1432.56	282	34.00	37.22	43.00
592DXL	59.2	1503.68	296	35.64	39.06	45.15
600DXL	60.0	1524.00	300	36.20	39.63	45.71
608DXL	60.8	1544.32	304	36.66	40.14	46.32
630DXL	63.0	1600.20	315	37.94	41.57	47.96
686DXL	68.6	1742.44	343	41.36	45.25	52.25




DUAL TIMING BELTS (DL)

Recommended for the dual positive drive which is required to change the direction on one or more synchronous pulleys with one belt. The inside and outside teeth are identical in both size and pitch.




0.375" Pitch (DL) Extra Light Duty Dual Synchronous Belts Material: Neoprene

Belt No.	Pitch Length		Number of Teeth	List Prices		
	inch	mm		1/2" wide Code 050	3/4" wide Code 075	1" wide Code 100
124DL	12.4	314.96	33	27.56	38.30	48.83
135DL	13.5	342.90	36	27.56	38.30	48.83
150DL	15.0	381.00	40	27.56	38.30	48.83
165DL	16.5	419.10	44	27.56	38.30	48.83
169DL	16.9	428.63	45	27.56	38.30	48.83
172DL	17.2	438.15	46	27.56	38.30	48.83
173DL	17.3	439.42	43	27.56	38.30	48.83
187DL	18.7	476.20	50	27.56	38.30	48.83
202DL	20.2	513.08	54	29.65	41.57	53.28
203DL	20.3	514.35	54	29.65	41.57	53.28
210DL	21.0	533.40	56	29.65	41.57	53.28
218DL	21.8	553.72	58	30.12	42.54	54.71
225DL	22.5	571.50	60	30.12	42.54	54.71
232DL	23.2	589.28	62	32.26	45.30	57.93
240DL	24.0	609.60	64	32.26	45.30	57.93
248DL	24.8	629.92	66	33.23	46.02	59.36
255DL	25.5	647.70	68	33.23	46.02	59.36
263DL	26.3	666.75	70	34.36	48.32	62.33
265DL	26.5	673.10	71	34.36	48.32	62.33
270DL	27.0	685.80	72	34.36	48.32	62.33
277DL	27.7	704.85	74	34.82	49.75	64.47
285DL	28.5	723.90	76	34.82	49.75	64.47
300DL	30.0	762.00	80	37.38	51.13	67.03
304DL	30.4	771.53	81	38.30	53.74	70.76
315DL	31.5	800.10	84	38.30	53.74	70.76
320DL	32.0	809.63	85	38.30	53.74	70.76
322DL	32.2	819.10	86	38.30	53.74	70.76
334DL	33.4	847.73	89	39.93	56.75	72.91
337DL	33.7	857.25	90	39.93	56.75	72.91
345DL	34.5	876.30	92	39.93	56.75	72.91
360DL	36.0	914.40	96	41.36	58.59	75.93
367DL	36.7	933.40	98	41.36	58.59	75.93
375DL	37.5	952.50	100	43.26	62.17	80.84
382DL	38.2	971.55	102	43.26	62.17	80.84
390DL	39.0	990.60	104	43.26	62.17	80.84
394DL	39.4	1000.76	105	46.02	65.39	84.98
405DL	40.5	1028.70	108	46.02	65.39	84.98
412DL	41.2	1046.48	110	46.02	65.39	84.98
420DL	42.0	1066.80	112	46.02	65.39	84.98



DUAL TIMING BELTS (DL)


Recommended for the dual positive drive which is required to change the direction on one or more synchronous pulleys with one belt. The inside and outside teeth are identical in both size and pitch.



0.375" Pitch (DL) Light Duty Dual Synchronous Timing Belts


Material: Neoprene

Belt No.	Pitch Length		Number of Teeth	List Prices		
	inch	mm		1/2" wide Code 050	3/4" wide Code 075	1" wide Code 100
427DL	42.7	1085.85	114	48.32	69.38	89.99
435DL	43.5	1104.90	116	48.32	69.38	89.99
436DL	43.6	1107.44	116	48.32	69.38	89.99
439DL	43.9	1114.43	117	48.32	69.38	89.99
446DL	44.6	1133.48	119	48.32	69.38	89.99
450DL	45.0	1143.00	120	48.32	69.38	89.99
454DL	45.4	1153.16	121	50.72	72.40	94.84
465DL	46.5	1181.10	124	50.72	72.40	94.84
480DL	48.0	1219.20	128	50.72	72.40	94.84
510DL	51.0	1295.40	136	51.13	74.96	97.61
514DL	51.4	1304.93	137	55.37	78.69	103.95
525DL	52.5	1333.50	140	55.37	78.69	103.95
540DL	54.0	1371.60	144	55.37	78.69	103.95
548DL	54.8	1390.65	146	60.03	86.15	113.05
550DL	55.0	1397.00	147	60.03	86.15	113.05
581DL	58.1	1476.38	155	60.03	86.15	113.05
600DL	60.0	1524.00	160	60.03	86.15	113.05
605DL	60.5	1533.53	161	64.63	93.67	122.10
619DL	61.9	1571.63	165	64.63	93.67	122.10
630DL	63.0	1600.20	168	64.63	93.67	122.10
640DL	64.0	1619.25	170	67.85	98.12	128.39
653DL	65.3	1657.35	174	67.85	98.12	128.39
660DL	66.0	1676.40	176	67.85	98.12	128.39
697DL	69.7	1771.65	186	75.21	108.70	142.29
728DL	72.8	1847.85	194	75.21	108.70	142.29
731DL	73.1	1857.38	195	75.21	108.70	142.29
767DL	76.7	1952.63	205	80.94	117.09	153.18
780DL	78.0	1981.20	208	80.94	117.09	153.18
788DL	78.8	2000.25	210	80.94	117.09	153.18
806DL	80.6	2047.88	215	87.89	127.11	166.32
817DL	81.7	2075.18	218	87.89	127.11	166.32
855DL	85.5	2171.70	228	87.89	127.11	166.32
863DL	86.3	2190.75	230	94.08	136.05	167.81
881DL	88.1	2238.38	235	94.08	136.05	167.81
915DL	91.5	2324.10	244	94.08	136.05	167.81
919DL	91.9	2333.63	245	96.38	139.38	182.38
938DL	93.8	2381.25	250	96.38	139.38	182.38
1294DL	129.4	3286.76	345	133.04	192.35	251.71



DUAL TIMING BELTS (DH)


Recommended for the dual positive drive which is required to change the direction on one or more synchronous pulleys with one belt. The inside and outside teeth are identical in both size and pitch.



0.500" Pitch (DH) Heavy Duty Dual Synchronous Belts


Material: Chloroprene

Belt No.	Pitch Length		Number of Teeth	List Prices				
	inch	mm		3/4" wide Code 075	1" wide Code 100	1-1/2" wide Code 150	2" wide Code 200	3" wide Code 300
185DH	18.5	469.90	37	46.73	58.85	86.46	113.05	165.81
225DH	22.5	571.50	45	46.73	58.85	86.46	113.05	165.81
230DH	23.0	584.20	46	46.73	58.85	86.46	113.05	165.81
240DH	24.0	609.60	48	46.73	58.85	86.46	113.05	165.81
245DH	24.5	622.30	49	50.16	64.47	93.41	122.66	179.36
255DH	25.5	647.70	51	50.16	64.47	93.41	122.66	179.36
270DH	27.0	685.80	54	50.16	64.47	93.41	122.66	179.36
280DH	28.0	711.20	56	53.48	70.66	100.32	131.50	193.37
300DH	30.0	762.00	60	53.48	70.66	100.32	131.50	193.37
310DH	31.0	787.40	62	56.75	74.29	107.42	141.32	207.64
315DH	31.5	800.10	63	56.75	74.29	107.42	141.32	207.64
320DH	32.0	812.80	64	56.75	74.29	107.42	141.32	207.64
330DH	33.0	838.20	66	56.75	74.29	107.42	141.32	207.64
340DH	34.0	863.50	68	60.28	78.48	114.84	150.42	221.90
350DH	35.0	889.00	70	60.28	78.48	114.84	150.42	221.90
360DH	36.0	914.40	72	60.28	78.48	114.84	150.42	221.90
370DH	37.0	939.80	74	64.01	83.65	120.97	157.43	235.86
375DH	37.5	952.50	75	64.01	83.65	120.97	157.43	235.86
390DH	39.0	990.60	78	64.01	83.65	120.97	157.43	235.86
400DH	40.0	1016.00	80	67.23	87.38	128.64	168.88	249.92
410DH	41.0	1041.40	82	67.23	87.38	128.64	168.88	249.92
420DH	42.0	1066.80	84	67.23	87.38	128.64	168.88	249.92
430DH	43.0	1092.20	86	71.22	92.75	135.44	181.51	263.93
450DH	45.0	1143.00	90	71.22	92.75	135.44	181.51	263.93
465DH	46.5	1181.10	93	74.50	96.74	142.70	191.02	280.24
480DH	48.0	1219.20	96	74.50	96.74	142.70	191.02	280.24
490DH	49.0	1244.60	98	76.64	101.13	147.15	197.36	287.29
510DH	51.0	1295.40	102	76.64	101.13	147.15	197.36	287.29
530DH	53.0	1346.20	106	81.24	107.01	156.30	209.48	303.61
540DH	54.0	1371.60	108	81.24	107.01	156.30	209.48	303.61
560DH	56.0	1422.40	112	84.36	109.57	161.36	215.36	317.61
565DH	56.5	1435.10	113	84.36	109.57	161.36	215.36	317.61
570DH	57.0	1447.80	114	84.36	109.57	161.36	215.36	317.61
580DH	58.0	1473.20	116	86.87	113.71	168.62	223.23	333.98
600DH	60.0	1524.00	120	86.87	113.71	168.62	223.23	333.98
605DH	60.5	1536.70	121	87.84	114.63	170.67	225.79	336.28
625DH	62.5	1587.50	125	87.84	114.63	170.67	225.79	336.28
630DH	63.0	1600.20	126	87.84	114.63	170.67	225.79	336.28



DUAL TIMING BELTS (DH)

Recommended for the dual positive drive which is required to change the direction on one or more synchronous pulleys with one belt. The inside and outside teeth are identical in both size and pitch.



0.500" Pitch (DH) Heavy Duty Dual Synchronous Belts

Material: Chloroprene

Belt No.	Pitch Length		Number of Teeth	List Prices				
	inch	mm		3/4" wide Code 075	1" wide Code 100	1-1/2" wide Code 150	2" wide Code 200	3" wide Code 300
650DH	65.0	1651.00	130	90.60	118.21	177.21	235.86	352.64
660DH	66.0	1676.40	132	90.60	118.21	177.21	235.86	352.64
680DH	68.0	1727.20	136	95.00	124.04	186.16	247.57	373.65
700DH	70.0	1778.00	140	95.00	124.04	186.16	247.57	373.65
725DH	72.5	1841.50	145	99.29	130.79	195.47	261.58	390.01
730DH	73.0	1854.20	146	99.29	130.79	195.47	261.58	390.01
750DH	75.0	1905.00	150	99.29	130.79	195.47	261.58	390.01
760DH	76.0	1930.40	152	106.25	138.97	209.02	280.24	418.08
770DH	77.0	1955.80	154	106.25	138.97	209.02	280.24	418.08
800DH	80.0	2032.00	160	106.25	138.97	209.02	280.24	418.08
810DH	81.0	2057.40	162	110.49	145.05	217.45	289.60	434.39
820DH	82.0	2082.80	164	110.49	145.05	217.45	289.60	434.39
840DH	84.0	2133.60	168	110.49	145.05	217.45	289.60	434.39
850DH	85.0	2159.00	170	110.49	145.05	217.45	289.60	434.39
860DH	86.0	2184.40	172	117.44	154.15	231.41	305.96	462.36
880DH	88.0	2235.20	176	117.44	154.15	231.41	305.96	462.36
900DH	90.0	2286.00	180	117.44	154.15	231.41	305.96	462.36
950DH	95.0	2413.00	190	128.95	168.62	252.22	336.28	506.79
985DH	98.5	2501.90	197	128.95	168.62	252.22	336.28	506.79
1000DH	100.0	2540.00	200	128.95	182.84	252.22	336.28	506.79
1020DH	102.0	2590.80	204	138.97	182.84	275.54	366.65	548.87
1050DH	105.0	2667.00	210	138.97	182.84	275.54	366.65	548.87
1100DH	110.0	2794.00	220	138.97	182.84	275.54	366.65	548.87
1120DH	112.0	2844.80	224	156.30	205.74	305.96	411.03	618.92
1130DH	113.0	2870.20	226	156.30	205.74	305.96	411.03	618.92
1140DH	114.0	2895.60	228	156.30	205.74	305.96	411.03	618.92
1150DH	115.0	2921.00	230	156.30	205.74	305.96	411.03	618.92
1250DH	125.0	3175.00	250	156.30	205.74	305.96	411.03	618.92
1325DH	132.5	3365.50	265	170.57	227.68	340.98	457.76	681.96
1350DH	135.0	3429.00	270	170.57	227.68	340.98	457.76	681.96
1400DH	140.0	3556.00	280	170.57	227.68	340.98	457.76	681.96
1700DH	170.0	4318.00	340	206.72	270.93	408.73	546.47	815.05

