



# \*KEVLAR CORD CONVENTIONAL V- BELTS ("A")

JayDee *\*Kevlar* Conventional V-belts are constructed from high Kevlar Cord. They are oil and heat resistant and static dissipative. Engineered for maximum service life on your most abusive conventional (A-B-C-D) belt drives. Durable performance even when submitted to temperature extremes, high humidity, moisture, grit, oil and grease.



V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE
A18K	7.80	A53K	15.60	A89K	27.70
A19K	7.80	A54K	15.90	A90K	28.00
A20K	7.80	A55K	16.20	A91K	28.40
A21K	7.80	A56K	16.50	A92K	28.80
A22K	8.00	A57K	16.80	A93K	29.20
A23K	8.00	A58K	17.00	A94K	29.90
A24K	8.00	A59K	17.30	A95K	30.70
A25K	8.20	A60K	17.60	A96K	31.50
A26K	8.40	A61K	18.00	A97K	32.20
A27K	8.60	A62K	18.40	A98K	33.00
A28K	8.80	A63K	18.80	A99K	33.50
A29K	9.00	A64K	19.20	A100K	33.80
A30K	9.20	A65K	19.50	A101K	34.20
A31K	9.40	A66K	19.80	A102K	34.60
A32K	9.60	A67K	20.00	A103K	35.00
A33K	9.80	A68K	20.20	A104K	35.50
A34K	10.00	A69K	20.80	A105K	36.00
A35K	10.30	A70K	21.30	A106K	36.50
A36K	10.70	A71K	21.80	A107K	37.00
A37K	10.90	A72K	22.40	A108K	37.50
A38K	11.00	A73K	22.90	A109K	38.00
A39K	11.30	A74K	23.20	A110K	38.50
A40K	11.60	A75K	23.60	A111K	39.00
A41K	11.90	A76K	23.90	A112K	39.50
A42K	12.30	A77K	24.10	A113K	40.00
A43K	12.60	A78K	24.40	A114K	40.50
A44K	12.90	A79K	24.80	A115K	41.00
A45K	13.20	A80K	25.20	A116K	41.50
A46K	13.50	A81K	25.50	A117K	41.70
A47K	13.80	A82K	25.70	A118K	41.90
A48K	14.20	A83K	26.00	A119K	42.00
A49K	14.50	A84K	26.30	A120K	42.10
A50K	14.80	A85K	26.50	A124K	42.80
A51K	15.10	A86K	26.80	A126K	43.00
A52K	15.40	A87K	27.10	A136K	46.30
		A88K	27.40		





**"A" Section Inside Length plus 2" equals outside length.**

\* © Registered Trademark of Dupont

**NOTE: The cross-section of our "A" and "4L" section v-belts are identical. To order a "4L" belt with \*KEVLAR CORD just add 2" to the "A" section number. Example: An A38 with Kevlar Cord would be a 4L400DWK.**

# \*KEVLAR CORD CONVENTIONAL V-BELTS ("B")

JayDee \*Kevlar conventional V-Belts are constructed from high quality Kevlar Cord. They are oil and heat resistant and static dissipating. Engineered for maximum service life on your most abusive conventional (A-B-C-D) belt drives. Durable Performance even when submitted to temperature extremes, high humidity, moisture, grit, oil, and grease.



V-BELT NO.	LIST PRICE
B22K	12.40
B23K	12.40
B24K	12.40
B25K	12.40
B26K	12.40
B27K	12.90
B28K	13.40
B29K	13.90
B30K	14.40
B31K	14.90
B32K	15.40
B33K	15.80
7.86	16.20
B35K	16.60
B36K	17.00
B37K	17.50
B38K	17.90
B39K	18.30
B40K	18.70
B41K	19.10
B42K	19.50
B43K	20.00
B44K	20.50
B45K	21.00
B46K	21.50
B47K	22.00
B48K	22.50

V-BELT NO.	LIST PRICE
B49K	23.00
B50K	23.50
B51K	24.00
B52K	24.50
B53K	25.00
B54K	25.50
B55K	26.00
B56K	26.50
B57K	27.00
B58K	27.40
B59K	27.80
B60K	28.20
B61K	28.60
B62K	29.00
B63K	29.60
B64K	30.20
B65K	30.80
B66K	31.40
B67K	32.00
B68K	32.40
B69K	32.80
B70K	33.20
B71K	33.60
B72K	34.00
B73K	34.50
B74K	34.90
B75K	35.40
B76K	35.90
B77K	36.40
B78K	36.90
B79K	37.40
B80K	37.70
B81K	38.00
B82K	38.20
B83K	38.50
B84K	38.80
B85K	39.20
B86K	39.60
B87K	40.00

V-BELT NO.	LIST PRICE
B88K	40.50
B89K	41.00
B90K	41.50
B91K	42.00
B92K	42.50
B93K	43.40
B94K	44.30
B95K	45.20
B96K	45.70
B97K	46.00
B98K	48.50
B99K	49.00
B100K	49.60
B101K	50.00
B102K	50.50
B103K	51.00
B104K	51.50
B105K	52.00
B106K	52.50
B107K	53.00
B108K	53.50
B109K	54.00
B110K	54.50
B111K	55.00
B112K	55.50
B113K	56.00
B114K	56.50
B115K	57.00
B116K	57.50
B117K	58.00
B118K	58.50
B119K	59.00
B120K	59.50
B124K	61.00
B126K	94.80
B128K	62.50
B131K	63.50
B133K	64.50
B136K	68.50

V-BELT NO.	LIST PRICE
B138K	69.50
B140K	70.50
B144K	71.00
B147K	110.60
B148K	73.00
B150K	75.50
B154K	77.30
B155K	116.60
B157K	118.00
B158K	79.50
B160K	80.50
B162K	81.00
B163K	82.00
B173K	86.00
B175K	131.60
B180K	89.00
B185K	92.00
B190K	94.00
B195K	96.00
B205K	101.00
B210K	102.50
B216K	162.40
B222K	108.00
B225K	110.00
B240K	117.00
B255K	124.00
B270K	130.00
B281K	136.00
B285K	137.00
B288K	139.00
B300K	145.00
B315K	152.00
B326K	158.00
B330K	159.00
B345K	166.00
B360K	173.00
B389K	188.00
B394K	190.00


*5L Outside Length minus 3" equals inside length*

Note: The cross-section of our "B" and 5L section V-Belts are identical. To Order a "5L" belt with Kevlar Cord

\* © Registered Trademark of Dupont

# \*KEVLAR CORD CONVENTIONAL V-BELTS (C)

JayDee \*Kevlar conventional V-Belts are constructed from high quality \*Kevlar Cord. They are oil and heat resistant and static dissipating. Engineered for maximum service life on your most abusive conventional (A-B-C-D) belt drives. Durable Performance even when submitted to temperature extremes, high humidity, moisture, grit, oil, and grease.



	V-BELT NO.	LIST PRICE
	C68F	* 71.65
	C75F	* 78.70
	C81F	* 85.80
	C85F	* 88.20
	C90F	* 95.20
	C96F	* 101.00

V-BELT NO.	LIST PRICE
C100F	* 105.30
C105F	* 110.50
C112F	* 117.50
C120F	* 125.70
C128F	* 134.00

	V-BELT NO.	LIST PRICE
	C61KK	39.10
	C86KK	55.10
	C87KK	55.70
	C93KK	59.60
	C94KK	60.20
	C97KK	62.10
	C112KK	71.70
	C116KK	74.30
	C119KK	76.20
	C144KK	92.20
C145KK	92.80	

V-BELT NO.	LIST PRICE
C147KK	94.10
C148KK	94.80
C152KK	97.30
C174KK	111.40
C176KK	112.70
C180KK	115.20
C190KK	121.60
C195KK	125.20
C345KK	245.00
C348KK	247.00
C352KK	350.00

\* ® Registered Trademark of Dupont

\* Goodyear Flexton Cord ( Kevlar )

C Section inside length plus 4" equals outside length up to C220. C225 and larger inside length plus 2.2" equals outside length. (Example: C225 - C227.2)