



CONVENTIONAL V-BELTS (A)

JayDee Conventional V-Belts are constructed from pre-stretched polyester cord. They are oil and heat resistant and static dissipating. Recommended for all general purpose drives with higher horsepower ratings. Conventional V-Belts are measured on the inside diameter. (Example: A90 = 90" ID - 92" OD)



"A" section V-Belts are available in ****KEVLAR CORD!** See sizes on page 12

V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE
A13	5.08	A51	7.60	A89	12.24	A127	24.00
A14	5.08	A52	7.68	A90	12.40	A128	18.40
A15	5.08	A53	7.80	A91	12.56	A130	19.00
A16	5.08	A54	8.00	A92	12.68	A132	38.40
A17	5.08	A55	8.00	A93	12.80	A133	19.16
A18	5.08	A56	8.20	A94	12.96	A134	39.60
A19	5.08	A57	8.24	A95	13.08	A135	21.00
A20	5.08	A58	8.28	A96	13.20	A136	19.60
A21	5.08	A59	8.32	A97	13.36	A137	22.00
A22	5.08	A60	8.40	A98	13.52	A138	41.80
A23	5.08	A61	8.52	A99	13.62	A139	21.00
A24	5.16	A62	8.60	A100	13.76	A140	20.60
A25	5.20	A63	8.80	A101	13.90	A142	21.50
A26	5.20	A64	8.92	A102	14.04	A143	29.50
A27	5.28	A65	9.00	A103	14.18	A144	20.76
A28	5.40	A66	9.00	A104	14.31	A148	30.50
A29	5.48	A67	9.12	A105	14.40	A150	26.00
A30	5.60	A68	9.20	A106	14.96	A152	26.40
A31	5.60	A69	9.60	A107	15.15	A155	27.00
A32	5.72	A70	9.60	A108	15.30	A156	27.00
A33	5.80	A71	9.68	A109	15.40	A157	27.50
A34	5.92	A72	9.72	A110	15.60	A158	23.00
A35	6.00	A73	9.80	A111	26.00	A159	27.50
A36	6.12	A74	9.88	A112	16.90	A162	30.00
A37	6.28	A75	10.00	A113	27.00	A164	33.00
A38	6.40	A76	10.16	A114	16.32	A165	33.20
A39	6.64	A77	10.32	A115	16.40	A167	33.50
A08	6.68	A78	10.48	A116	16.64	A173	25.00
A41	6.72	A79	10.64	A117	21.50	A180	26.04
A42	6.88	A80	10.80	A118	22.00	A196	38.00
A43	7.00	A81	11.00	A119	22.50	A197	45.00
A44	7.08	A82	11.12	A120	17.20	A200	45.00
A45	7.16	A83	11.28	A121	23.00	A210	45.00
A46	7.20	A84	11.44	A122	31.80	A221	49.00
A47	7.32	A85	11.60	A123	23.50	A237	54.00
A48	7.40	A86	11.76	A124	17.80	A240	55.00
A49	7.48	A87	11.92	A125	34.50	A256	62.00
A50	7.52	A88	12.08	A126	18.40	A258	63.00



"A" Section Inside Length plus 2" equals outside length. Any size over 100 inches is available in 1" increments.


*A16 thru A126 are also stocked with ****Kevlar cord**. Other sizes are available on request.

NOTE: The cross-section of our "A" and "4L" section v-belts are identical. To order an "A" belt just add 2" to the "A" section number. Example: An A 40 would be a 4L420.


** © Registered Trademark of Dupont

CONVENTIONAL V-BELTS (B)

JayDee Conventional V-Belts are constructed from pre-stretched polyester cord. They are oil and heat resistant and static dissipating. Recommended for all general purpose drives with higher horsepower ratings.



Conventional V-Belts are measured on the inside diameter -
(Example: B90 = 90" ID - 93" OD)



**"B" Section V-Belts are available in **KEVLAR CORD! See sizes on page 11.									
V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE
B52	11.32	B97	18.80	B142	29.60	B193	40.00	B265	50.80
B53	11.40	B98	18.92	B143	29.60	B195	37.20	B270	51.20
B54	11.52	B99	19.16	B144	27.80	B196	40.50	B275	52.00
B55	11.60	B100	19.20	B145	30.10	B197	41.00	B276	52.00
B56	11.68	B101	19.32	B146	30.10	B198	41.00	B280	57.70
B57	11.76	B102	19.60	B147	30.30	B199	41.20	B283	58.00
B58	11.84	B103	19.80	B148	28.40	B200	41.60	B285	54.00
B59	11.96	B104	21.30	B149	28.60	B202	39.10	B290	55.00
B60	12.00	B105	20.00	B150	28.64	B204	41.80	B292	58.80
B61	12.20	B106	20.40	B151	30.90	B205	39.30	B293	60.40
B62	12.40	B107	20.72	B152	30.90	B206	42.40	B300	56.80
B63	12.48	B108	20.72	B153	31.20	B208	42.40	B310	59.50
B64	12.64	B109	21.00	B154	29.32	B210	40.00	B315	60.90
B65	12.80	B110	21.60	B155	31.50	B212	43.70	B330	66.95
B66	12.96	B111	23.00	B156	32.00	B213	43.70	B333	65.00
B67	13.08	B112	21.60	B157	32.20	B214	43.90	B340	70.00
B68	13.20	B113	23.70	B158	30.00	B215	44.20	B341	70.20
B69	13.76	B114	22.20	B159	32.40	B216	44.50	B345	68.00
B70	14.00	B115	22.20	B160	31.20	B217	44.70	B346	71.20
B71	14.08	B116	22.30	B162	31.20	B218	41.50	B350	72.10
B72	14.20	B117	24.00	B163	33.40	B220	44.70	B354	72.90
B73	14.28	B118	22.70	B164	33.90	B221	42.50	B360	80.00
B74	14.36	B119	22.80	B165	34.10	B223	44.00	B389	80.10
B75	14.40	B120	22.80	B166	34.20	B225	42.60	B394	92.00
B76	14.72	B121	24.00	B167	34.40	B228	46.00	B428	102.00
B77	14.96	B122	24.90	B168	32.35	B229	46.00	B433	102.00
B78	15.00	B123	25.00	B169	32.80	B230	46.60	B472	110.00
B79	15.24	B124	23.60	B170	33.00	B232	47.80	B512	120.00
B80	15.48	B125	25.50	B171	34.80	B234	47.90	B553	128.00
B81	15.60	B126	24.00	B173	32.80	B235	48.00		
B82	16.00	B127	27.00	B174	35.90	B236	48.00		
B83	16.12	B128	24.40	B175	35.90	B237	48.00		
B84	16.28	B129	27.30	B177	37.00	B238	48.00		
B85	16.40	B130	25.60	B178	34.30	B240	43.50		
B86	16.56	B131	25.60	B180	34.40	B242	48.00		
B87	16.72	B132	28.00	B182	38.30	B245	50.40		
B88	16.88	B133	25.60	B183	38.30	B248	47.90		
B89	17.04	B134	25.80	B184	38.30	B249	51.30		
B90	17.20	B135	27.70	B185	38.30	B250	51.40		
B91	17.44	B136	26.08	B187	38.70	B251	51.80		
B92	17.72	B137	28.10	B188	38.70	B253	49.60		
B93	18.00	B138	29.40	B189	38.80	B255	48.80		
B94	18.20	B139	27.60	B190	36.30	B256	52.70		
B95	18.40	B140	27.60	B191	38.80	B257	53.00		
B96	18.60	B141	29.50	B192	39.40	B259	50.00		



V-BELT NO.	LIST PRICE
B19	7.00
B20	7.00
B21	7.00
B22	7.00
B23	7.00
B24	7.24
B25	7.40
B26	7.52
B27	7.56
B28	7.60
B29	7.68
B30	7.72
B31	7.80
B32	7.84
B33	7.86
B34	7.96
B35	8.00
B36	8.24
B37	8.80
B38	8.80
B39	9.20
B40	9.20
B41	9.40
B42	9.60
B43	9.80
B44	10.00
B45	10.20
B46	10.40
B47	10.56
B48	10.80
B49	10.88
B50	11.04
	11.20

B Section Inside length plus 3" equals outside length up to B120. B220 and larger inside length plus 1.3" equals outside length. (Example B240 = B241.3). Any size over 100 inches is available in 1" increments.

NOTE: The cross section of our "B" and "5L" section v-belts are identical. To order a "5L" belt just add 3" to the "B" section number. Example a B40 would be a 5L430.

CONVENTIONAL V-BELTS (C)

JayDee Conventional V-Belts are constructed from pre-stretched polyester cord. They are oil and heat resistant and static dissipating. Recommended for all general purpose drives with higher horsepower ratings. Conventional V-Belts are measured on the inside diameter (example C90 = 90" ID - 94" OD)




C SECTION BELTS ARE AVAILABLE IN KEVLAR CORD - * SEE SIZES ON PAGE 12.									
V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE
C36	17.50	C84	32.60	C129	53.90	C178	73.90	C253	105.20
C38	17.50	C85	30.00	C130	48.16	C180	64.00	C255	89.94
C40	17.50	C86	35.30	C131	55.40	C182	75.60	C257	106.00
C42	20.00	C87	32.40	C132	55.60	C183	75.80	C258	107.00
C43	19.60	C88	32.40	C133	48.16	C184	76.00	C259	107.50
C44	19.80	C89	35.60	C134	56.00	C185	76.30	C260	108.00
C45	20.00	C90	32.40	C135	56.40	C187	76.70	C262	109.00
C46	21.40	C91	37.40	C136	48.16	C188	67.26	C265	110.00
C47	21.40	C92	37.60	C137	57.00	C189	77.00	C270	94.80
C48	22.30	C93	37.80	C138	57.40	C190	67.46	C272	113.00
C49	22.70	C94	34.40	C139	57.70	C192	77.40	C274	114.00
C50	23.10	C95	34.40	C140	51.20	C193	80.00	C275	115.00
C51	18.40	C96	34.40	C141	58.60	C194	80.40	C276	116.00
C52	20.30	C97	34.76	C142	59.00	C195	69.20	C280	98.30
C53	20.60	C98	35.50	C143	59.30	C196	80.80	C281	117.00
C54	20.80	C99	35.50	C144	51.20	C197	81.20	C285	100.04
C55	19.84	C100	35.84	C145	59.80	C198	82.20	C290	119.00
C56	22.10	C101	36.16	C146	60.00	C199	82.60	C291	120.00
C57	22.40	C102	40.00	C147	60.40	C200	83.00	C295	122.50
C58	20.90	C103	37.60	C148	52.32	C201	83.50	C297	123.00
C59	23.20	C104	37.60	C149	61.80	C202	83.90	C300	105.20
C60	21.60	C105	37.60	C150	53.26	C204	84.70	C303	126.00
C61	24.00	C106	37.92	C151	62.70	C205	85.00	C304	127.00
C62	24.40	C107	44.50	C152	63.10	C206	85.60	C311	127.50
C63	24.40	C108	38.60	C153	63.60	C207	86.00	C313	128.00
C64	24.40	C109	38.96	C154	64.90	C208	86.40	C314	129.00
C08	26.90	C110	45.60	C155	65.00	C209	86.80	C315	110.40
C66	27.00	C111	45.90	C156	56.00	C210	74.80	C318	130.00
C67	27.20	C112	40.00	C157	65.50	C212	87.50	C320	131.00
C68	24.70	C113	47.10	C158	56.00	C214	88.90	C324	132.00
C69	27.40	C114	47.30	C160	65.80	C215	89.60	C330	115.60
C70	25.10	C115	41.04	C161	66.80	C216	90.50	C340	142.00
C71	25.44	C116	41.40	C162	57.20	C218	91.50	C345	120.80
C72	25.80	C117	48.00	C163	68.00	C220	92.00	C348	145.00
C73	29.20	C118	48.50	C164	69.30	C223	92.60	C349	146.00
C74	29.40	C119	48.90	C165	59.03	C225	79.32	C352	147.00
C75	26.80	C120	42.80	C166	69.60	C228	93.50	C360	160.00
C76	30.50	C121	49.50	C167	69.90	C230	95.50	C390	164.00
C77	30.70	C122	50.70	C168	65.50	C232	96.20	C394	170.00
C78	28.00	C123	51.00	C169	70.40	C236	98.00	C420	175.00
C79	29.20	C124	44.16	C170	70.70	C238	99.00	C450	188.00
C80	29.20	C125	53.20	C171	71.10	C240	84.00	C480	200.00
C81	29.20	C126	53.40	C172	72.50	C244	101.30	C540	228.00
C82	32.00	C127	53.60	C173	61.20	C245	101.70	C551	230.00
C83	30.00	C128	45.60	C174	72.80	C246	102.00		
				C175	73.00	C248	103.00		
				C176	73.30	C250	89.20		
				C177	73.60	C251	104.50		

*C Section Inside Length plus 4" equals outside length up to C220.
C225 and Larger Inside Length plus 2.2" equals outside length (Example: C225 = C227.2)*


CONVENTIONAL V-BELTS (D - E)

JayDee Conventional V-Belts are constructed from pre-stretched polyester cord. They are oil and heat resistant and static dissipating. Recommended for all general purpose drives with higher horsepower ratings.

Conventional V-Belts are measured on the inside diameter (example D90 = 90" ID - 95" OD)




*THESE SIZES ARE STOCKED WITH **KEVLAR CORD. OTHER SIZES ARE AVAILABLE ON REQUEST								
V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.
D62	54.90	D119	103.30	D163	142.00	D250	184.00	
D72	64.10	D120	98.00	D164	142.50	D255	164.80	
D74	76.00	D121	102.00	D165	143.00	D270	174.80	
D77	78.00	D122	120.00	D166	144.00	D280	230.00	
D81	80.00	D125	129.00	D167	145.00	D285	184.40	
D82	71.90	D126	104.00	D169	146.50	D291	256.00	
D85	78.00	D128	102.00	D170	148.00	D300	194.00	
D88	79.00	D130	113.50	D171	148.00	D310	246.00	
D90	79.80	D132	115.30	D173	136.00	D315	203.80	
D91	80.50	D133	118.00	D175	150.00	D330	213.60	
D92	81.10	D134	119.00	D178	152.60	D345	223.20	
D93	82.40	D136	119.70	D180	140.00	D350	230.00	
*D93KK	120.40	D137	121.00	D184	161.00	D354	312.00	
D94	76.00	D140	123.00	D188	164.70	D356	314.00	
D95	94.00	D143	126.00	D195	150.00	D360	318.00	
D96	96.00	D144	120.00	D197	167.00	D370	340.00	
D98	88.00	D147	129.40	D198	173.50	D390	345.00	
D101	88.90	D148	131.00	D200	174.00	D420	372.00	
D105	91.00	D151	133.40	D205	178.00	D441	390.00	
D107	92.80	D152	134.30	D210	154.00	D450	360.00	
D109	94.20	D154	136.00	D220	193.00	D480	380.00	
7.86	94.90	D156	137.00	D225	160.00	D540	428.00	
D112	96.00	D158	129.00	D234	197.00	D600	475.00	
D114	112.80	D160	139.90	D240	170.00	D660	525.00	
D115	100.70							



**D Section Inside Length plus 5" equals outside length up to D210.
D220 and Larger Inside Length plus 2.7" equals outside length.
(Example: D240" = D242.7")**

V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE
E180	170.00	E270	250.40	E360	334.00	E540	514.00
E195	184.00	E300	278.40	E376	360.00	E600	574.00
E210	198.40	E330	306.40	E390	364.00	E660	634.00
E225	209.28			E420	394.00		



E Section Inside Length plus 6" equals outside length.

* © Registered Trademark of Dupont