



FRACTIONAL HORSEPOWER (FHP) V-BELTS (2L & 3L)

Oil and heat resistant and static dissipating with cotton polyester outer cover. Ideal for any light duty fractional horsepower drives including backside idler applications. FHP V-Belts are measured on the outside diameter. (Example 4L400 = 40" OD).



V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE
2L080U	14.50	2L150	6.60	2L230	6.60	2L310	7.30
2L090U	14.50	2L160	6.60	2L240	6.60	2L320U	20.20
2L100	6.60	2L170	6.60	2L250	6.80	2L340	7.50
2L110	6.60	2L180	6.60	2L260	7.00	2L350	7.70
2L120	6.60	2L190	6.60	2L270	7.05	2L360	7.90
2L130	6.60	2L200	6.60	2L280	7.10	2L380	8.10
2L140	6.60	2L210	6.60	2L290	7.20	2L460	8.30
		2L220U	17.90	2L300U	19.60		



"U" = COGGED POLYURETHANE

V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE
3L110	5.00	3L280	5.00	3L440	6.44	3L660	8.50
3L120	5.00	3L285	5.00	3L450	6.56	3L670	8.60
3L130	5.00	3L290	5.04	3L460	6.64	3L675	10.50
3L140	5.00	3L293	5.12	3L470	6.76	3L680	8.70
3L140	5.00	3L295	8.50	3L480	6.84	3L690	8.80
3L150	5.00	3L300	5.12	3L490	6.92	3L700	8.90
3L160	5.00	3L305	5.12	3L500	7.00	3L710	9.00
3L170	5.00	3L310	5.16	3L510	7.08	3L720	9.10
3L180	5.00	3L315	9.50	3L520	7.16	3L730	9.20
3L190	5.00	3L320	5.24	3L530	7.24	3L740	9.30
3L200	5.00	3L330	5.32	3L540	7.32	3L750	9.60
3L210	5.00	3L340	5.40	3L550	7.40	3L760	11.50
3L220	5.00	3L345	5.50	3L560	7.48	3L765	11.90
3L225	5.00	3L350	5.52	3L565	8.80	3L770	11.70
3L230	5.00	3L360	5.60	3L570	7.56	3L780	12.00
3L235	12.50	3L370	5.72	3L580	7.80	3L790	12.20
3L008	5.00	3L380	5.84	3L590	7.90	3L800	12.40
3L245	5.00	3L385	5.96	3L595	9.30	3L810	12.60
3L250	5.00	3L390	5.96	3L600	7.90	3L820	12.80
3L255	5.00	3L400	6.08	3L610	8.00	3L830	13.00
3L260	5.00	3L410	6.20	3L620	8.10	3L840	13.20
3L265	5.00	3L415	6.28	3L630	8.20	3L850	13.40
3L270	5.00	3L420	6.36	3L640	8.30	3L860	13.70
3L275	5.00	3L425	6.45	3L650	8.40	3L900	14.00
		3L430	6.60				

3L Outside Length minus 1-1/2" equals inside length

FRACTIONAL HORSEPOWER (FHP) V-BELTS (4L)

Oil and heat resistant and static dissipating with cotton polyester outer cover. Ideal for any light duty fractional horsepower drives including backside idler applications. FHP V-Belts are measured on the outside diameter. (Example 4L400 = 40" OD).





V-BELT NO.	LIST Price	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST Price
4L150	4.96	4L330	5.60	4L515	10.40	4L770	12.50
4L160	4.96	4L335	6.75	4L520	8.60	4L780	12.70
4L170	4.96	4L340	5.72	4L525	10.60	4L790	12.90
4L180	4.96	4L345	6.95	4L530	8.80	4L800	13.00
4L190	4.96	4L350	5.80	4L540	8.90	4L810	13.20
4L195	4.96	4L360	5.92	4L550	9.00	4L820	13.30
4L200	4.96	4L365	15.20	4L560	9.10	4L830	13.50
4L210	4.96	4L370	6.00	4L570	9.30	4L840	13.70
4L215	4.96	4L375	11.00	4L580	9.40	4L850	13.90
4L220	4.96	4L380	6.21	4L590	9.60	4L860	14.00
4L230	4.96	4L390	6.28	4L600	9.80	4L870	14.20
4L235	4.96	4L400	6.40	4L610	10.00	4L880	14.40
4L240	4.96	4L405	8.10	4L620	10.20	4L890	14.50
4L250	4.96	4L410	6.70	4L630	10.40	4L900	14.70
4L255	5.10	4L415	8.30	4L640	10.60	4L910	14.90
4L260	5.04	4L420	6.80	4L650	10.70	4L920	15.00
4L270	5.12	4L425	16.70	4L660	10.80	4L930	15.20
4L275	5.50	4L430	6.95	4L670	10.90	4L940	15.40
4L280	5.20	4L440	7.10	4L680	11.10	4L950	15.50
4L285	5.70	4L450	7.35	4L690	11.30	4L960	15.70
4L290	5.28	4L460	7.45	4L700	11.40	4L970	16.00
4L295	5.90	4L470	7.60	4L710	11.60	4L980	16.40
4L008	5.36	4L475	9.55	4L720	11.80	4L990	16.80
4L305	6.15	4L480	7.80	4L730	11.90	4L1000	17.20
4L310	5.44	4L490	8.00	4L740	12.00	4L1010 THRU 4L1560 in 1' increments available in Dry Fabric Wrap *Kevlar only. SEE PAGE 4	
4L315	6.35	4L500	8.20	4L750	12.20		
4L320	5.52	4L510	8.40	4L760	12.40		
4L325	6.55						

4L Outside Length minus 2" equals inside length.

FRACTIONAL HORSEPOWER (FHP) V-BELTS (5L)

Oil and heat resistant and static dissipating with cotton polyester outer cover. Ideal for any light duty fractional horsepower drives including backside idler applications. FHP V-Belts are measured on the outside diameter. (Example 4L400 = 40" OD).



V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE	V-BELT NO.	LIST PRICE
5L220	6.65	5L410	8.80	5L600	11.76	5L810	15.30
5L230	6.65	5L415	9.10	5L610	11.84	5L820	15.50
5L240	6.65	5L420	9.00	5L620	11.92	5L830	15.70
5L250	6.65	5L430	9.20	5L630	12.10	5L840	15.90
5L260	6.65	5L440	9.40	5L640	12.30	5L850	16.30
5L270	6.65	5L450	9.60	5L650	12.40	5L860	16.60
5L280	6.65	5L460	9.80	5L660	12.60	5L870	16.80
5L290	6.70	5L470	10.00	5L670	12.70	5L880	17.00
5L300	6.80	5L480	10.20	5L680	12.90	5L890	17.30
5L310	7.00	5L490	10.40	5L690	13.10	5L900	17.70
5L320	7.12	5L500	10.56	5L700	13.30	5L910	18.10
5L330	7.28	5L510	10.72	5L710	13.50	5L920	18.20
5L340	7.44	5L520	10.88	5L720	13.70	5L930	18.40
5L350	7.56	5L530	11.04	5L730	13.80	5L940	18.60
5L355	7.80	5L540	11.20	5L740	14.00	5L950	18.80
5L360	7.72	5L550	11.32	5L750	14.20	5L960	19.00
5L365	8.00	5L560	11.40	5L760	14.40	5L970	19.20
5L370	7.84	5L570	11.52	5L770	14.60	5L980	19.40
5L380	8.00	5L575	12.60	5L780	14.80	5L990	19.60
5L008	8.24	5L580	11.60	5L790	15.00	5L1000	19.80
5L400	8.56	5L590	11.68	5L800	15.10		

5L Outside Length minus 3" equals inside length.

5L 1010 thru 5L1390
in 1" increments
available in Dry Fabric
Wrapped *Kevlar only.
SEE PAGE 5