


VARIABLE SPEED BELTS

Recommended for use on variable speed sheave drives requiring exact speed control and maximum range of speed changes. Arched construction and strong compression section provide great crosswise rigidity that resists distortion. Oil and heat resistant, static conductive.



Number System

The numbering system for Variable Speed V-belts is based upon the pulley groove dimensions and the pitch length of the belt.

For Example: 1430V315

14	30	V	315
Top width of groove in closed position in 1/16 inch increments. Example: 14/16."	Groove angle Example: 30°	Variable Speed	Belt pitch length in 1/10-inch increments. Example 31.5"

Belt No.	List Price
1228V225	25.02
1230V341	28.98
1230V348	29.80
1422V235	25.00
1422V240	25.32
1422V270	26.32
1422V290	27.14
1422V300	27.84
1422V330	28.98
1422V340	29.80
1422V360	30.34
1422V400	30.80
1422V420	32.32
1422V440	32.78
1422V460	33.08
1422V466	33.30
1422V470	33.62
1422V480	34.00
1422V540	38.70
1422V600	42.36
1422V660	46.16
1422V720	49.58
1422V780	53.54
1426V298	27.50
1426V299	27.50
1426V328	30.26
1426V362	33.40
1430V215	20.66
1430V315	30.26
1430V375	33.30


Belt No.	List Price
1430V450	38.10
1430V500	41.74
1522V270	33.25
1524V301	33.08
1526V264	32.16
1526V294	35.80
1528V298	29.96
1528V326	30.50
1528V360	32.48
1528V414	34.06
1622V290	29.24
1622V297	31.02
1622V307	32.24
1622V336	34.52
1626V262	30.26
1626V290	30.80
1626V293	31.18
1626V304	32.02
1626V330	34.52
1626V339	36.04
1626V380	38.70
1626V384	40.16
1626V395	42.50
1626V411	43.34
1626V428	44.48
1626V440	46.00
1626V455	48.22
1626V513	50.12
1626V517	50.88
1626V597	55.44

Belt No.	List Price
1626V604	62.88
1626V658	76.50
1626V700	79.92
1628V210	27.00
1628V315	32.48
1632V210	27.00
1632V220	27.00
1632V250	30.00
1822V207	27.00
1822V290	36.66
1822V320	39.50
1822V328	40.08
1826V250	42.54
1828V368	47.98
1832V338	45.18
1922V256	40.84
1922V277	41.30
1922V282	41.82
1922V292	42.02
1922V298	42.36
1922V302	42.88
1922V321	44.26
1922V332	45.18
1922V338	45.62
1922V363	46.46
1922V381	47.30
1922V386	48.52
1922V403	49.42
1922V408	49.50
1922V417	49.58

Belt No.	List Price
1992V420	49.80
1922V426	49.96
1922V443	50.64
1922V454	51.26
1922V460	51.28
1922V484	52.70
1922V526	53.54
1922V544	54.76
1922V554	55.25
1922V604	56.96
1922V630	57.88
1922V646	59.08
1922V666	60.08
1922V686	60.60
1922V706	61.30
1922V721	63.42
1922V726	63.04
1922V751	63.72
1922V756	64.72
1922V806	70.50
1922V846	75.44
1922V891	81.06
1922V966	88.22
1922V1006	94.30
1922V1146	114.82
1926V249	49.04
1926V250	49.04
1926V275	49.64
1926V333	50.80
1926V367	51.82

VARIABLE SPEED BELTS

Recommended for use on variable speed sheave drives requiring exact speed control and maximum range of speed changes. Arched construction and strong compression section provide great crosswise rigidity that resists distortion. Oil and heat resistant, static conductive.



Number System

The numbering system for Variable Speed V-belts is based upon the pulley groove dimensions and the pitch length of the belt.

For Example: 1430V315

14	30	V	315
Top width of groove in closed position in 1/16 inch increments. Example: 14/16."	Groove angle Example: 30°	Variable Speed	Belt pitch length in 1/10-inch increments. Example 31.5"

Belt No.	List Price
1926V376	52.02
1926V380	54.14
1926V390	52.48
1926V407	53.62
1926V415	54.38
1926V427	54.86
1926V507	57.84
1926V542	59.44
1930V355	49.04
1930V366	51.02
1930V375	52.48
1930V400	54.60
1930V425	55.44
1930V431	56.50
1930V450	58.78
1930V475	59.20
1930V485	60.20
1930V491	61.30
1930V500	63.26
1930V530	66.76
1930V541	68.42
1930V560	69.20
1930V585	70.20
1930V591	71.00
1930V600	73.00
1930V630	76.42
1930V641	77.10
1930V670	80.00
1930V691	82.08
1930V750	90.34


Belt No.	List Price
1930V791	95.54
1930V800	103.45
1930V850	107.98
1930V891	112.42
1930V900	121.52
1930V950	132.32
1930V991	133.76
1930V1000	143.72
1930V1060	157.42
1930V1091	158.38
1930V1120	174.90
1930V1180	196.20
1930V1191	198.56
2026V422	49.04
2026V445	52.48
2026V474	52.86
2026V607	63.50
2028V447	52.48
2030V481	56.38
2032V624	70.40
2126V297	48.66
2126V307	50.26
2126V309	53.46
2126V365	55.36
2126V377	56.34
2126V468	73.08
2226V307	44.10
2230V266	41.14
2230V270	41.16
2230V273	49.04

Belt No.	List Price
2230V275	49.04
2230V285	50.82
2230V326	57.00
2230V375	64.64
2230V890	92.02
2322V329	63.26
2322V347	64.18
2322V364	64.42
2322V373	64.75
2322V384	65.00
2322V396	65.40
2322V421	66.08
2322V434	66.76
2322V441	67.08
2322V461	67.30
2322V481	68.30
2322V486	68.55
2322V521	70.30
2322V541	71.50
2322V601	74.76
2322V604	75.00
2322V621	76.58
2322V661	78.64
2322V681	80.22
2322V701	81.74
2322V721	82.66
2322V801	84.62
2322V826	88.44
2322V846	89.80
2322V886	92.02

Belt No.	List Price
2322V921	94.38
2322V964	96.08
2322V1001	98.88
2322V1061	102.44
2326V310	58.18
2326V359	59.54
2330V273	43.72
2330V338	54.30
2330V359	59.56
2330V537	86.76
2332V373	79.42
2422V570	94.80
2426V343	61.22
2426V344	62.00
2426V363	64.50
2428V345	63.00
2530V530	76.30
2530V550	82.36
2530V560	83.36
2530V575	87.60
2530V595	90.34
2530V600	90.34
2530V610	91.84
2530V618	93.50
2530V630	94.88
2530V660	98.68
2530V670	100.76
2530V680	103.00
2530V690	105.72
2530V700	107.26

VARIABLE SPEED BELTS

Recommended for use on variable speed sheave drives requiring exact speed control and maximum range of speed changes. Arched construction and strong compression section provide great crosswise rigidity that resists distortion. Oil and heat resistant, static conductive.



Number System

The numbering system for Variable Speed V-belts is based upon the pulley groove dimensions and the pitch length of the belt.

For Example: 1430V315

14	30	V	315
Top width of groove in closed position in 1/16 inch increments. Example: 14/16."	Groove angle Example: 30°	Variable Speed	Belt pitch length in 1/10-inch increments. Example 31.5"

Belt No.	List Price
2428V707	99.70
2428V757	131.86
2428V807	144.42
2430V297	93.84
2430V302	94.04
2430V319	94.72
2430V345	95.76
2430V354	100.48
2430V379	105.20
2430V600	110.20
2430V610	111.00
2436V331	67.90
2526V302	93.00
2526V314	93.84
2528V370	99.84
2530V300	54.68
2530V309	56.00
2530V335	58.88
2530V470	73.00
2530V490	73.18
2530V500	74.10
2530V710	109.50
2530V730	114.46
2530V740	116.48
2530V750	124.22
2530V790	135.20
2530V800	136.82
2530V840	143.46
2530V850	145.20
2530V890	153.76


Belt No.	List Price
2530V900	165.78
2530V934	164.68
2530V950	173.92
2530V990	175.90
2530V1000	178.04
2530V1060	210.30
2530V1090	213.52
2530V1120	224.72
2530V1180	235.40
2530V1190	243.80
2530V1250	259.40
2530V1290	276.40
2530V1490	356.60
2530V1690	409.40
2626V293	76.00
2626V369	81.68
2626V388	91.10
2626V428	88.00
2630V345	68.82
2630V395	78.80
2636V332	67.46
2822V778	135.66
2826V400	78.64
2826V412	79.34
2826V452	83.66
2830V337	58.08
2830V363	60.68
2830V366	61.07
2830V367	61.48
2830V387	63.12

Belt No.	List Price
2830V393	63.72
2830V396	63.98
2830V422	78.86
2830V428	79.08
2830V492	83.80
2830V567	86.90
2830V666	93.50
2836V343	88.28
2836V350	91.02
2836V361	91.02
2836V380	92.02
2926V348	77.00
2926V366	78.26
2926V400	78.64
2926V426	79.32
2926V471	79.62
2926V477	80.08
2926V486	80.30
2926V491	82.20
2926V521	84.14
2926V534	84.64
2926V546	85.15
2926V574	87.22
2926V586	88.82
2926V606	89.88
2926V613	91.26
2926V616	91.26
2926V636	92.16
2926V646	92.92
2926V666	95.14

Belt No.	List Price
2926V686	96.58
2926V706	97.26
2926V726	99.70
2926V750	101.80
2926V776	102.58
2926V786	104.86
2926V834	107.08
2926V856	108.44
2926V891	110.58
2926V906	114.30
2926V921	115.20
2926V966	118.40
2926V1006	120.46
2926V1026	127.00
2926V1086	130.64
2926V1106	133.80
2926V1146	140.16
2930V348	78.00
2930V357	82.20
2930V420	85.60
2930V492	90.60
3028V386	82.60
3030V357	81.38
3030V377	82.18
3030V387	82.60
3226V392	120.84
3226V395	122.20
3226V400	123.00
3226V433	127.22
3226V439	129.28

VARIABLE SPEED BELTS

Recommended for use on variable speed sheave drives requiring exact speed control and maximum range of speed changes. Arched construction and strong compression section provide great crosswise rigidity that resists distortion. Oil and heat resistant, static conductive.



Number System

The numbering system for Variable Speed V-belts is based upon the pulley groove dimensions and the pitch length of the belt.

For Example: 1430V315

14	30	V	315
Top width of groove in closed position in 1/16 inch increments. Example: 14/16."	Groove angle Example: 30°	Variable Speed	Belt pitch length in 1/10-inch increments. Example 31.5"

Belt No.	List Price
3226V450	130.16
3226V465	130.88
3226V505	132.24
3226V514	134.38
3226V545	135.96
3226V585	138.64
3226V603	141.52
3226V650	141.80
3226V663	141.98
3226V690	144.42
3226V723	147.90
3226V783	156.04
3226V834	167.95
3226V843	168.44
3226V903	179.54
3226V963	192.16
3226V973	194.00
3226V1023	204.10
3226V1083	215.96
3230V419	132.32
3230V481	134.00
3230V528	135.00
3230V560	139.70
3230V585	140.75
3230V600	142.36
3230V613	142.70
3230V621	144.72
3230V630	147.08
3230V670	149.58
3230V710	154.22


Belt No.	List Price
3230V750	155.78
3230V771	156.58
3230V800	158.18
3230V821	158.90
3230V850	160.08
3230V871	163.12
3230V900	174.68
3230V950	187.76
3230V1000	203.04
3230V1060	220.30
3230V1120	233.62
3230V1180	248.60
3230V1250	261.90
3230V1320	279.08
3230HV528	135.06
3230HV546	135.50
3230HV553	135.58
3230HV570	136.12
3230HV585	136.80
3230HV603	137.50
3230HV613	138.32
3230HV620	139.92
3230HV626	142.20
3230HV644	143.88
3230HV685	147.80
3230HV702	149.12
3230HV723	150.24
3230HV821	171.56
3230HV856	178.00
3230HV931	185.40

Belt No.	List Price
3230HV960	188.30
3230HV1060	207.98
3236V342	91.68
3236V369	97.34
3236V389	103.04
3236V432	131.60
3236V552	142.84
3236V584	145.00
3236V643	147.00
3236V903	206.43
3326V478	138.02
3430V424	131.60
3430V450	132.64
3430V456	133.00
3430V476	134.20
3430V480	134.62
3430V484	134.90
3430V493	136.60
3430V510	136.80
3430V528	137.40
3432V450	133.00
3432V456	133.00
3432V480	134.64
3432V484	134.90
3432V528	137.42
3432V534	138.18
3626V556	145.08
3630V455	145.12
3636V479	148.74
3726V558	160.68

Belt No.	List Price
3826V459	167.84
3826V465	168.44
3830V501	183.78
3830V510	187.08
3830V517	187.90
3830V580	195.58
3830V587	196.50
3836V418	126.46
3836V426	127.52
3836V654	134.90
3836V734	147.14
3836V794	161.82
4030V538	179.78
4030V590	197.16
4034V1000	305.32
4036V541	150.48
4036V574	229.60
4230V503	171.10
4230V556	189.80
4230V605	198.56
4230V653	207.10
4234V998	311.62
4430V510	146.76
4430V530	148.28
4430V548	150.00
4430V555	152.5
4430V560	152.78
4430V570	168.44
4430V578	170.52
4430V600	181.9

VARIABLE SPEED BELTS

Recommended for use on variable speed sheave drives requiring exact speed control and maximum range of speed changes. Arched construction and strong compression section provide great crosswise rigidity that resists distortion. Oil and heat resistant, static conductive.



Number System

The numbering system for Variable Speed V-belts is based upon the pulley groove dimensions and the pitch length of the belt.

For Example: 1430V315

14	30	V	315
Top width of groove in closed position in 1/16 inch increments. Example: 14/16."	Groove angle Example: 30°	Variable Speed	Belt pitch length in 1/10-inch increments. Example 31.5"

Belt No.	List Price
4430V610	183.30
4430V630	185.30
4430V652	187.82
4430V660	189.30
4430V670	189.88
4430V690	193.82
4430V700	197.40
4430V710	213.92
4430V718	216.50
4430V730	217.50
4430V740	219.50
4430V750	224.92
4430V760	226.92
4430V767	230.00
4430V780	233.04
4430V790	235.74
4430V800	236.88
4430V850	237.02
4430V900	266.24
4430V910	253.52
4430V930	278.48
4430V950	282.50
4430V970	290.06
4430V1000	296.20
4430V1030	299.20
4430V1060	314.82
4430V1090	317.84
4430V1120	333.68

Belt No.	List Price
4430V1150	342.96
4430V1180	350.96
4430V1250	375.20
4430V1320	399.78
4430V1410	427.52
4430V1430	438.00
4430V1460	446.24
4430V1610	494.22
4436V525	152.62
4436V551	155.82
4436V561	158.26
4436V576	168.60
4436V646	226.16
4630V650	244.48
4630V663	249.80
4630V668	249.80
4630V683	301.18
4630V693	264.20
4630V733	282.96
4630V756	288.82
4630V1070	379.02
4636V613	241.06
4830V602	212.16
4830V614	215.06
4830V653	220.60
4830V663	222.12
4830V683	225.17
4830V692	226.70

Belt No.	List Price
4830V699	228.36
4830V730	238.40
4830V750	245.32
4830V850	276.04
4830V970	322.36
4830V1070	372.10
4836V588	211.78
4836V608	212.40
4836V618	215.36
4836V642	218.26
4836V655	221.36
4836V659	223.04
4836V670	226.42
4836V700	229.42
4836V710	239.94
4836V729	238.02
4836V750	253.46
4836V789	260.76
4836V800	270.36
4836V850	277.04
4836V900	301.96
4836V950	315.12
4836V1000	335.60
4836V1060	356.08
4836V1120	380.66
4836V1180	400.76
4836V1250	429.02
5126V938	477.84

Belt No.	List Price
5130V732	434.22
5130V787	449.10
5228V930	462.66
5230V652	415.04
5230V734	429.42
5230V747	432.02
5230V867	456.02
5230V928	475.00
5428V959	542.88
5430V783	443.00
5636V750	465.74
5636V774	473.76
5636V845	492.78
5830V737	437.34
5830V756	457.76
5836V737	437.34
6036V850	445.86
6136V751	432.92
6136V756	457.20
6236V607	401.30
6236V694	406.16
6236V725	410.34
6236V762	414.38
6236V785	421.14
6236V849	445.86
6236V905	471.64
6236V969	495.74
6236V1009	511.94
6236V1321	590.74